

Chapter 16:

REFERENCES & BIBLIOGRAPHY

- ACMCS (1978). *ACM Computing Surveys*. Special Issue: Graphics Standards, 10(4).
- Abernethy, C.N. & Hades, D.G. (1987). Ergonomically determined pointing device (mouse) design, *Behaviour and Information Technology* 6(3), 311-314.
- Accot, J., Zhai, S. (1997). Beyond Fitts' Law: Models for Trajectory-Based HCI Tasks, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'97)*, eng295-302.
- Accot, J., Zhai, S. (1999). Performance Evaluation of Input Devices in Trajectory-based Tasks: An Application of The Steering Law. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'99)*, 466-472.
- Adams, J. A., & Creamer, L. R. (1962). Proprioception variables as determiners of anticipatory timing behavior. *Human Factors: The Journal of the Human Factors and Ergonomics Society*. 4(4): 217-22.
- Adelstein, B. D., Johnston, E. R., & Ellis, S. R. (1992a). Spatial sensor lag in virtual environment systems. *Proceedings of SPIE Vol. 1833: Telemanipulator Technology*, 1833 (187-198). Boston, Massachusetts: SPIE-The International Society for Optical Engineering.
- Adelstein, B. D., Johnston, E. R., & Ellis, S. R. (1992b). A testbed for characterizing dynamic response of virtual environment spatial sensors. *Proceedings of the 4th Annual ACM Symposium on User Interface Technology (UIST'92)*, 15-22.
- Agronin, M.L. (1987). The design of a nine-string six-degree-of-freedom force-feedback joystick for telemanipulation. *Proceedings of the NASA Workshop on Space Telerobotics*, 341-348.
- Ahlberg, C. & Shneiderman, B. (1993). The Alphaslider: a compact and rapid selector, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 365-371.
- Akamatsu, M. & Sato, S. (1992). Mouse type interface with tactile and force display: multi-modal integrative mouse. *Proceedings of the Second International Conference on Artificial Reality and Tele-Existence (ICAT'92)*, July 1-3, Tokyo, Japan.

- Akamatsu, M., Sato, S. & MacKenzie, I.S. (1994). Multimodal mouse: A mouse-type device with tactile and force display. *Presence* 3(1), 73-80.
- Akass, Clive (2001). The Men Who Really Invented the Mouse. *Personal Computer World* (UK), November Issue, 24-35.
- Albinsson, P. & Zhai, S. (2003). High Precision Touch Screen Interaction. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'93)*, 105-112.
- Albert, A.E. (1982). The effect of graphic input devices on performance in a cursor positioning task, *Proceedings of the Human Factors Society 26th Annual Meeting*, 54-29.
- Alden, D., Daniels, R.W. & Kanarick, A.F. (1972). Keyboard design and operation: a review of the major issues. *Human Factors*, 14(4), 275-293.
- Alford, R. (1990). The mouse that roared. *Byte*, 15(12), 395-401.
- Ali, S. & McRoy, S. (1998). Efficient Representations for Multi-Modal Interaction. XXXXXXXXX
- Allanson, Jennifer (2002). Electrophysiologically Interactive Computer Systems. *IEEE Computer*, 35(3), March 2002. 60-65
- Allen, R. (1982). Cognitive Factors in Human Interaction with Computers. In A. Badre & B. Shneiderman (Eds.) *Directions in Human/Computer Interaction*, Norwood, N.J.: Ablex, 1 - 26.
- Allen, R.B. & Scerbo, M.W. (1983). Details of command-language keystrokes. *ACM Transactions on Office Information Systems*, 1(2), 159-178.
- Altmann, S. L. (1986). *Rotations, Quaternions, and Double Groups*. Oxford: Clarendon Press.
- Anderson, E.T. & Simester, D.I. (2003). Effects of \$9 Price Endings on Retail Sales: Evidence from Field Experiments. *Quantitative Marketing and Economics*, 1(1): 93-110.
- Anderson, R.H. (1968). *Syntax-directed recognition of handprinted two-dimensional mathematics*, Ph.D. Thesis, Harvard University.
- Anderson, J.R. (Ed.) (1980). *Cognitive Skills and their Acquisition*. Hillsdale, N.J.: Lawrence Erlbaum & Associates.
- Anderson, J.R. (1982). Acquisition of Cognitive Skill. *Psychological Review*, 89(4), 369-406.
- Anderson, J.R. (1983). *The Architecture of Cognition*. Cambridge, MA: Harvard University Press.
- Anderson, J.R. (1985). *Cognitive psychology and its implications*, second edition. New York: W.H. Freeman.
- Annett, J., Annett, M., Hudson, P. & Turner, A. (1979). The control of movement in the preferred and non-preferred hands, *Quarterly Journal of Experimental Psychology*, 641-652.
- Annett, M., Gupta, A. & Bischof, W.F. (2014). Exploring and Understanding Unintended Touch during Direct Pen Interaction, *ACM Transactions on Computer-Human Interaction*, 21(5), 28.1-28.39.
- Aogáin, E. & Reilly, R. (1990). Discourse theory and interface design: The case of pointing with the mouse, *International Journal of Man-Machine Studies*, 32, 591-602.
- Apple (1984). *MacWrite User's Manual*. Cupertino, CA: Apple Computer Inc.
- Applicon (1977). *Computerized graphic processing systems: systems user's manual*. Applicon, Inc. 154 Middlesex Turnpike, Burlington, MA, 01803.
- Arditi, A. (1986). Binocular vision. In K. R. Boff, L. Kaufman, & J. P. Thomas (Eds.), *Handbook of Perception and Human Performance* (pp. 23-1, 23-41). New York: John Wiley and Sons.
- Arnault, L. Y., & Greenstein, J. S. (1986). Optimizing the touch tablet: The effects of control-display gain and method of cursor control. *Human Factors*, 28(6), 717-726.
- Arnaut, L.Y. & Greenstein, J.S. (1987). An evaluation of display/control gain, *Proceedings of the Human Factors Society 31st Annual Meeting*, 437-441.

- Arnaut, L. Y., & Greenstein, J. S. (1990). Is display/control gain a useful metric for optimizing an interface? *Human Factors*, 32(6), 651-663.
- Arnaut, L.Y. & Greenstein, J.S. (1986). Optimizing the touch tablet: the effect of control-display gain and method of cursor control. *Human Factors* 28(6), 717-726.
- Arnaut, L.Y. & Greenstein, J.S. (1990). Is display/control gain a useful metric for optimizing an interface?, *Human Factors*, 32(6), 651-663.
- Arnott, J.L., Newell, A.F. & Downton, A.C. (1979). A comparison of palantype and stenograph for use in a speech transcription aid for the deaf. *Journal of Biomedical Engineering*, 1(3), 201-210.
- Arthur, K., Booth, K., & Ware, C. (1993). Evaluating 3D task performance for fish tank virtual worlds. *ACM Transactions on Information Systems*, 11(3), 239-265.
- Ayres, T.J. & Lang, D. (1987). A portable chord keyboard, *Proceedings of INTERFACE '87, Human Implications of Product Design*, May 13-15, Rochester, N.Y., 317-320.
- Baber, C. (1997). *Beyond the desktop: Designing and using interaction devices*. San Diego: Academic Press.
- Backer, D.S. & Gano, S. (1982). Dynamically Alterable Videodisc Displays, *Proceedings of Graphics Interface '82, Canadian Man-Computer Communications Society*, 365-371.
- Baddeley, A.D. & Hitch, G.J. (1974). Working Memory. In G.H. Bower (Ed.). *The Psychology of Learning and Motivation*, Vol 8. New York: Academic Press, XX-XX.
- Baddeley, A.D. & Longman, D.J.A. (1978). The Influence of Length and Frequency of Training Session on the Rate of Learning to Type, *Ergonomics*, 21(8), 627 - 635.
- Badler, N., Manoochchri, K.H. & Baraff, D. (1986). Multi-dimensional input techniques and articulated figure positioning by multiple constraints. *Proceedings of the 1986 Workshop on Interactive 3D Graphics*, ACM SIGGRAPH, 151-169.
- Baecker, R.M. (1969). Picture-driven animation. *Proceedings of the Spring Joint Computer Conference*, 273-288.
- Baecker, R.M. (1980a). Towards an Effective Characterization of graphical Interaction, in Guedj, R.A., ten Hagen, P., Hopgood, F.R., Tucker, H. and Duce, D.A. (Eds.), *Methodology of Interaction*, Amsterdam: North Holland Publishing, 127-148.
- Baecker, R.M. (1980b). Human-Computer Interactive Systems: A State-of-the-Art Review, in Kolers, Wrolstad & Bouma (Eds.), *Processing of Visible Language 2*, New York: Plenum Press, 423 - 443.
- Baecker, R. & Buxton, W. (eds.)(1987). *Readings in Human-Computer Interaction: A Multi-Disciplinary Approach*. Los Altos, CA: Morgan Kaufmann.
- Baecker, R., Grudin, J., Buxton, W. & Greenberg, S. (Eds.)(1995). *Human-Computer Interaction: Toward the year 2000*. Los Altos, CA: Morgan Kaufmann.
- Baecker, R., Buxton, W. & Reeves, W. (1979). Towards facilitating graphical interaction: some examples from computer-aided musical composition. *Proceedings of the 6th Canadian Man-Computer Communications Society Conference*, 197-207.
- Bahrack, H. P. (1957). An analysis of stimulus variables influencing the proprioceptive control of movements. *Psychological Review*, 64(5), 324-328.
- Bahrack, H. P., Bennett, W. F., & Fitts, P. M. (1955a). Accuracy of positioning responses as a function of spring loading in a control. *Journal of Experimental Psychology*, 49(6), 437-444.
- Bahrack, H. P., Fitts, P. M., & Schneider, R. (1955b). Reproduction of simple movements as a function of factors influencing proprioceptive feedback. *Journal of Experimental Psychology*, 49(6), 445-454.

- Balakrishnan, R. & Hinckley, K. (2000). Symmetric bimanual interaction. *ACM CHI Letters*, 2(1), p. 33-40.
- Balakrishnan, R., Baudel, T., Kurtenbach, G. & Fitzmaurice, G. (1997). The Rockin' Mouse: Integral 3D Manipulation on a Plane. *Proceedings of the CHI'97 Conference on Human Factors in Computing Systems*, 311-318.
- Balakrishnan, R. & Patel, P. (1998). The PadMouse: Facilitating selection and spatial positioning for the non-dominant hand. *Proceedings of the CHI'98 Conference on Human Factors in Computing Systems*. 9-16.
- Ball, G., Ling, D., Kurlander, D., Miller, D., Pugh, D., Skelly, T., Stankosky, A., Thiel, D., Van Dantzich, M. and T. Wax. Lifelike computer characters: the persona project at Microsoft Research. In *Software Agents*, J. M. Bradshaw (ed.), MIT Press, Cambridge, MA, 1997.
- Ball, N.A., Foster, H. Q., Long, W. H., Sutherland, I. E. & Wigington, R. L. (1966). A Shared Memory Computer Display System. *IEEE Transactions on Electronic Computers*, EC-15(5), 750-756.
- Baraff, D. & Badler, N.I. (1989). Handwaving in computer graphics, or, efficient methods for interactive input using a six-axis digitizer, XXX published?? XXX Computer and Information Science, Moore School, University of Pennsylvania, Philadelphia PA 19104-6389.
- Bareket, M., Holtzman, R., Olin, M. & Rosin, E. (1987). A portable input unit for an electronic workstation, *Behaviour and Information Technology* 6(3), 315-322.
- Barfield, W., & Furness III, T. A. (eds.). (1995). *Virtual Environments and Advanced Interface Design*. New York: Oxford University Press.
- Barnard, P., Hammond, N., Morton, J., Long, J. & Clark, I. (1981). Consistency and compatibility in human-computer dialogue. *International Journal of Man-Machine Studies* 15(1): 87 - 134.
- Baudel, T. & Beaudouin-Lafon, M. (1993). Charade: Remote Control of Objects Using Free-Hand Gestures. *Communications of the ACM*, 36(7), 28-35.
- Beck, F. & Stumpe, B. (1973). Two devices for operator interaction in the central control of the new CERN accelerator, *Technical Report, CERN 73-6*, Laboratory II, Control Group.
- Becker, J. & Greenstein, J.S. (1986). A lead-lag compensation approach to display/control gain for touch tablets, *Proceedings of the Human Factors Society 30th Annual Meeting*, 332-336.
- Bejczy, A. K., Kim, W. S., & Venema, S. C. (1990). The phantom robot: predictive displays for teleoperation with time delay. *Proceedings of IEEE International Conference on Robotics and Automation*, 546-
- Benel, R.A. & Stanton, B. C. (1987). Optimal size and spacing of touch screen input areas. In H.-J. Bullinger & B. Shackel (Eds.). *Human-Computer Interaction, Proceedings of Interact '87*, Amsterdam: North-Holland, 581-585.
- Bennett, P, Brennan, M. & Kearns, Z. (2003). [Psychological aspects of price: An empirical test of order and range effects](#). *Marketing Bulletin*, 14, Research note 1.
- Beringer, D.B. & Peterson, J.G. (1985). Underlying behavioural parameters of the operation of touch-input devices: biases, models and feedback, *Human Factors* 27(4), 445-458.
- Beringer, D.B. & Scott, J. (1985). The long-range light pen as a head-based controller user-computer interface: head mounted "sights" versus head positioning for computer access for the disabled, *Proceedings of the Human Factors Society 29th Annual Meeting*, 114-118.
- Berlyne, D. (1960). *Conflict, Arousal, and Curiosity*. New York: McGraw-Hill.
- Berman, P. W., Cunningham, J. G., & Harkulich, J. (1974). Construction of the horizontal, vertical and oblique by young children: Failure to find the "oblique effect". *Child Development*, 45, 474-478.

- Bernstein, M.I. (1964). Computer recognition of on-line had-written characters. *RM-3753-ARPA*, The RAND Corporation,
- Bernstein, M.I. & Williams, T.G. (1968). A two dimensional programming system. *Proceedings of the 1968 IFIP Congress*. 586.
- Berson, T.A. (1977). *Dynamic handwriting recognition by computer*. PhD Thesis, University of London. University Microfilms 77-70026.
- Beskow, J. and McGlashan, S. O. (1997). A Conversational Agent with Gestures, *Proceedings of the IJCAI'97 workshop on Animated Interface Agents - Making them Intelligent*. San Francisco: Morgan-Kaufmann Publishers.
- Betts, P., Brown, C.J., Lynott, J.J. & Martin, H.F. (1965). Light Beam Matrix Input Terminal. *IBM Technical Disclosure Journal*, 9(5), 493-494.
- Bewley, W., Roberts, T., Schroit, D. & Verplank, W. (1983). Human Factors Testing in the Design of Xerox's 8010 "Star" Office Workstation, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'83)*, 72 - 77.
- Bier, E. (1986). Skitters and jacks: interactive 3D positioning tools. *Proceedings of the 1986 Workshop on Interactive 3D Graphics*, 183-196.
- Bier, E. (1988). *Snap-dragging: interactive geometric design in two and three dimensions*. PhD Thesis, Department of Computer Science, Berkeley: University of California.
- Bier, E., Stone, M., Fishkin, K., Buxton, W. & Baudel, T. (1994). A taxonomy of see-through tools. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 358-364.
- Bier, E. & Stone, M. (1986). Snap-dragging, *Computer Graphics*, 20(4), 233-240.
- Bier, E. A., Stone, M., Pier, K., Buxton, W. & DeRose. T. (1993) Toolglass and magic lenses: the see-Through interface. *Proceedings of SIGGRAPH '93*, 73-80.
- Birmingham, H. P., & Taylor, F. V. (1954). A human engineering approach to the design of man-operated continuous control systems. *Rep. 4333, USNRL*.
- Blackwell, F.W. & Anderson, R.H. (1970). An On-Line Symbolic Mathematics System Using Hand-Printed Two-Dimensional Notation, *RAND Mem. RM-6018-PR*.
- Bleser, T. W. (1991) *An input device model of interactive systems design*. Doctor of Science Dissertation, Department of Electrical Engineering and Computer Science, The George Washington University.
- Bleser, T., Sibert, J. & McGee, P. (1988). Charcoal sketching: returning control to the artist, *ACM Transactions on Graphics*, 7(1), 76-81.
- Block, F. & Gellersen, H. (2010). Two-Handed Input in a Standard Configuration of Notebook with External Mouse. *Proceedings of the 6th Nordic Conference on Human-Computer Interaction (NordiCHI 2010)*, 62-71.
- Block, F., Gellersen, H. & Villar, N. (2010). Touch-Display Keyboards: Transforming Keyboards into Interactive Surfaces. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'10)*, 1145-1154.
- Boff, K.R., Kaufman, & J. P. Thomas (Eds.)(1986), *Handbook of perception and human performance. Vol 1: Sensory processes and perception. Vol. 2: Cognitive processes and performance*. New York: Wiley.
- Boff, K. R., & Lincoln, J. E. (1988). *Engineering Data Compendium - Human Perception and Performance*. Ohio: Armstrong Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base.
- Boie, R.A. (1984). Capacitive impedance readout tactile image sensor. *Proceedings of the IEEE International Conference on Robotics*, 370-378.

- Bolt, R. A. (1980). Put-That-There: Voice and Gesture at the Graphics Interface, *Computer Graphics* 14(3), 262-270.
- Bolt, R. A.(1981). Gaze-Orchestrated Dynamic Windows, *Computer Graphics* 15(3), 109-119.
- Bolt, R. A. (1984). *The Human Interface: Where People and Computers Meet*, Boston: Lifetime Learning Publications.
- Bolt, R.A. (1985). Conversing with Computers. *Technology Review*, 88(2), 35-43.
- Bolt, R. A. & Herranz, E. (1992). Two-handed gesture in multi-modal dialog. *Proceedings of the 4th Annual ACM Symposium on User Interface Technology (UIST'92)*, 15 7-14.
- Boritz, J., Booth, K. & Cowan, W. (1991). Fitts's law studies of directional mouse movement, *Proceedings of Graphics Interface '91*, 216-223.
- Bosser, T. & Melchior, E. (1985). Learning to Control Complex Technical Systems, in H.P. Willumeit (Ed.). *Human Decision Making and Manual Control*. Amsterdam: North Holland.
- Bouisset, S. & Zattara, M. (1988). Postural and motor components of motor programming. In B. Amblard, A. Berthoz, & F. Clarac (Eds.), *Posture and gait: Development, adaptation, and modulation*. Amsterdam: Elsevier Science Publishers, 199-206.
- Bowman, D.A., Kruijff, E., LaViola, J. & Poupyrev, I. (2004). *3D User Interfaces: Theory and Practice*, New York: Addison-Wesley Professional.
- Brandl, P., Forlines, C., Wigdor, D., Haller, M. & Shen, C. (2008). Combining and measuring the benefits of bimanual pen and direct-touch interaction on horizontal interfaces, *Proceedings of the working conference on Advanced Visual Interfaces (AVI08)*, 154-161.
- Braun, M. (1992). *Picturing Time*. Chicago: University of Chicago Press.
- Braunstein, M. L., Anderson, G. J., Rouse, M. W., & Tittle, J. S. (1986). Recovering viewer-centered depth from disparity, occlusion and velocity gradients. *Perception & Psychophysics*, 40, 216-224.
- Bremmer, J. & Roodenburg, H. (Eds.)(1991). *A Cultural History of Gesture*. Ithica: Cornell University Press.
- Brenner, A.E. & de Bruyne, P. (1970). SONIC PEN: A digital stylus system. *IEEE Transactions on Computers*, 19(6), 546-548.
- Breuer, M.A. (1966). General Survey of Design Automation of Digital Computers. *Proceedings of the IEEE*, 54(12), 1708-1721.
- Briggs, R., Dennis, A., Beck, B. & Nunamaker, J. (1993). Whither the pen-based interface. *Journal of Management Information Systems* 9(3), 71-90.
- Briggs, G. E., Fitts, P. M., & Bahrack, H. P. (1957). Effects of force and amplitude cues on learning and performance in a complex tracking task. *Journal of Experimental Psychology*, 54(4), 262-268.
- Britton, E., Lipscomb, J. & Pique, M. (1978). Making nested rotations convenient for the user, *Computer Graphics*, 12(3), 222-227.
- Brocklehurst, E.R. (1991). The NPL electronic paper project. *International Journal of Man-Machine Studies*, 34(1), 69-95.
- Brooks, C.P. & Newell, A.F. (1985). Computer transcription of handwritten shorthand as an aid for the deaf - a feasibility study, *International Journal of Man-Machine Studies*, 23, 45-60.
- Brooks, F. P. J. (1988). Grasping reality through illusion - Interactive graphics serving science. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'88)*, XX-XX.
- Brooks, F.P. Jr., Ouh-Young, M, Batter, J. & Kilpatrick, P.J. (1990). Project GROPE - haptic displays for scientific visualization, *Computer Graphics* 24(3), Proceedings of SIGGRAPH '90, 177-185.

- Brooks, T. L., & Bejczy, A. K. (1985). Hand controllers for teleoperation, a state of the art technology survey and evaluation, *JPL Publication No. 85-11*. Jet Propulsion Laboratory.
- Brooks, V. B. (Ed.). (1981). *Handbook of Physiology, Section 1: The Nervous System, Volume II: Motor Control, Part 1 and 2*. Bethesda, Maryland: American Physiological Society.
- Brown, C.M., 1988. Comparison of typing and handwriting in "two finger typists". *Proceedings of the 32nd Annual Meeting of the Human Factors Society*, 381-385
- Brown, E., Buxton, W. & Murtagh, K. (1990). Windows on tablets as a means of achieving virtual input devices. In D. Diaper et al. (Eds), *Human-Computer Interaction - INTERACT '90*, Elsevier Science Publishers B.V. (North-Holland), 675-681.
- Brown, R. (1964). On-Line Computer Recognition of Hand-Printed Characters, *IEEE Transactions on Computers*, EC-13 (12), 750 - 752.
- Browne, Hilary, Bederson, Ben, Druin, Allison, Sherman, Lisa, & Westerman, Wayne. (2000). Designing a Collaborative Finger Painting Application for Children. Human-Computer Interaction Lab - HCIL-2000-17, CS-TR-4184, UMIACS-TR-2000-66. http://www.cs.umd.edu/~bederson/images/pubs_pdfs/2000-17.pdf
- Bruno, N., & Cutting, J. E. (1988). Minimodularity and the perception of layout. *Journal of Experimental Psychology: General*, 117, 161-170.
- Buck, L. (1980). Motor performance in relation to control-display gain and target width. *Ergonomics*, 23(6), 579-589.
- Burdea, G.C. (1996). *Force and Touch Feedback for Virtual Reality*. New York: Wiley.
- Burke, D. B., & Gibbs, C. B. (1965). A comparison of free-moving and pressure levers in a positional control system. *Ergonomics*, 8(1), 23-29.
- Burr, D.J. (1983). Designing a handwriting reader, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 5(5), 554-559.
- Burrows, A. A. (1965). Control feel and the dependent variable. *Human Factors*, 7(5), 413-421.
- Burton, R. & Sutherland, I. (1974). Twinkle Box - A three-dimensional computer input device, *Proceedings of the AFIPS National Computer Conference and Exposition*, 513-520.
- Butterbaugh, L.C. (1982). Evaluation of alternative alphanumeric keying logis. *Human Factors*, 24, 521-533.
- Buxton, W. (1982). An informal study of selection-positioning tasks. *Proceedings of Graphics Interface '82, 8th Conference of the Canadian Man-Computer Communications Society*, 323-328.
- Buxton, W. (1983). Lexical and pragmatic considerations of input structures. *Computer Graphics*, 17 (1), 31-37.
- Buxton, W. (1986a). There's more to interaction than meets the eye: Some issues in manual input. In Norman, D. A. and Draper, S. W. (Eds.), (1986), *User Centered System Design: New Perspectives on Human-Computer Interaction*, Hillsdale, N.J.: Lawrence Erlbaum Associates, 319-337.
- Buxton, W. (1986b). Chunking and phrasing and the design of human-computer dialogues, in H.-J. Kugler (Ed.) *Information Processing '86, Proceedings of the IFIP 10th World Computer Congress*, Amsterdam: North Holland Publishers, 475-480.
- Buxton, W. (1990a). A three-state model of graphical input. In D. Diaper et al. (Eds.), *Human-Computer Interaction - INTERACT '90*, Elsevier Science Publishers B.V. (North-Holland), 449-456.
- Buxton, W. (1990b). Smoke and mirrors. *Byte*, 15(7), 205-210.
- Buxton, W. (1990c). The natural language of interaction: A perspective on non-verbal dialogues. In Laurel, B. (Ed.). *The Art of Human-Computer Interface Design*, Reading, MA: Addison-Wesley. 405-416.

- Buxton, W. (2005). Piloting Through the Maze. *Interactions Magazine*. 12(6), November + December. 10.
- Buxton, W. [B]. (2007). *Sketching User Experiences: Getting the Design Right and the Right Design*. San Francisco: Morgan Kaufmann.
- Buxton, W. [B]. (2008). [The Long Nose of Innovation](#). BusinessWeek.com, January 2nd, 2008.
- Buxton, W., Fiume, E., Hill, R., Lee, A. & Woo, C. (1983). Continuous Hand-Gesture Driven Input. *Proceedings of Graphics Interface '83*, 191-195.
- Buxton, W. Hill, R. & Rowley, P. (1985). Issues and Techniques in Touch-Sensitive Tablet Input, *Computer Graphics*, 19(3), 215-224.
- Buxton, W. & Myers, B. (1986). A Study in Two-Handed Input. *Proceedings of CHI' 86*, 321-326.
- Buxton, W., Reeves, W., Patel, S. & O'Dell, T. (1979). SSSP programmer's manual. Toronto: unpublished manuscript, Computer Systems Research Institute.
- Buxton, W. & Sniderman, R. (1980). [Iteration in the Design of the Human-Computer Interface](#). *Proceedings of the 13th Annual Meeting, Human Factors Association of Canada*, 72-81.
- Buxton, W., Sniderman, R., Reeves, W., Patel, S. & Baecker, R. (1979). The Evolution of the SSSP Score Editing Tools. *Computer Music Journal* 3 (4), 14-25.
- Cadoz, C. (1994). *Les realites virtuelles*. Dominos, Flammarion.
- Cadoz, C., Luciani, A. & Florens, J. (1984). Responsive input devices and sound synthesis by simulation of instrumental mechanisms: the Cordis system. *Computer Music Journal*, 8(3). Reprinted in, Roads, C. (Ed.). *The Music Machine*. Cambridge, MA: The MIT Press, 495-508.
- Callahan, J., Hopkins, D., Weiser, M. & Shneiderman, B. (1988). An empirical comparison of pie vs. linear menus. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'88)*, 95-100.
- Cao, X. & Balakrishnan, R. (2003). VisionWand: interaction techniques for large displays using a passive wand tracked in 3D. *Proceedings of the 16th Annual ACM Symposium on User Interface Software and Technology (UIST, '03)*, 173-182.
- Cao, X. & Zhai, S. [Modeling Human Performance of Pen Stroke Gestures](#), *Proc. CHI 2007: ACM Conference on Human Factors in Computing Systems*, 1495-1504.
- Card, S., English, W. & Burr, D.J.. (1978), Evaluation of Mouse, Rate-Controlled Isometric Joystick, Step Keys and Text Keys for Text Selection on a CRT, *Ergonomics*, 21(8), 601-613.
- Card, S. & Henderson, A. (1987). A Multiple, Virtual-Workspace Interface to Support User Task Switching, *Proceedings of CHI+GI '87*, 53 - 59.
- Card, S., Mackinlay, J. D. & Robertson, G. G. (1990). The design space of input devices. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'90)*, 117-124.
- Card, S., Mackinlay, J. D. & Robertson, G. G. (1991). A Morphological analysis of the design space of input devices. *ACM Transactions on Information Systems*, 9(2), 99-122.
- Card, S. & Moran, T. (1986). User technology: from pointing to pondering, *ACM XXX*, 183-198.
- Card, S., Moran, T. & Newell, A. (1980). The Keystroke Level Model for User Performance Time with Interactive Systems, *Communications of the ACM*, 23(7), 396-410.
- Card, S., Moran, T. & Newell, A. (1980). Computer Text-Editing: An Information Processing Analysis of a Routing Cognitive Skill, *Cognitive Psychology*, 12, 32 - 74.
- Card, S., Moran, T. & Newell, A. (1983). *The Psychology of Human-Computer Interaction*, Hillsdale, N.J.: Lawrence Erlbaum Associates.

- Carr, R.M. (1991). The point of the pen. *Byte*, 16(2), 211-221.
- Carr, R.M. & Shafer, D. (1991). *The Power of PenPoint*. Reading, MA.: Addison-Wesley.
- Carroll, J.M. (1984a). Minimalist Training, *Datamation*, November 1, 1984, 125 - 136.
- Carroll, J.M. (1984b). Mental Models and Software Human Factors: An Overview, *IBM Research Report RC616(347016)*.
- Carroll, J. M., & Kellogg, W. A. (1989). Artifact as theory-nexus: hermeneutics meet theory-based design. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'89)*, 7-14.
- Carroll, J.M. & Mack, R.L. (1985), Metaphor, Computing Systems, and Active Learning, *International Journal of Man-Machine studies*, 22, 39 - 57.
- Carroll, J.M. & Thomas, J.C. (1982). Metaphor and the Cognitive Representation of Computing Systems, *IEEE Transactions on Systems, Man and Cybernetics*, 12(2), 107 - 116.
- Carson, R., Thomas, J., Summers, J., Walters, M. & Semjen, A. (1997). The Dynamics of bimanual circle drawing. *The Quarterly Journal of Experimental Psychology*. 50A(3), 664-683.
- Carswell, C. M. & Wickens, C. D. (1985). Lateral Task Segregation and the Task-Hemispheric Integrity Effect, *Human Factors*, 27(6), 695 - 700.
- Caruthers, L., Van den Bos, J. & Van Dam, A. (1977). GPGS: A device-independent general-purpose graphics system for stand-alone and satellite graphics with Proceedings Siggraph, 1977.
- Casala, D., Guiard, Y. & Beaudouin-Lafon, M. (1999). Evaluating two-handed input techniques: Rectangle editing and navigation. *Proceedings of CHI'99 Extended Abstracts*, 236-237.
- Cassell, J., Pelachaud, C., Badler, N.I., Steedman, M., Achorn, B., Beckett, T., Douville, B., Prevost, S. and Stone, M. (1994). Animated conversation: rule-based generation of facial display, gesture and spoken intonation for multiple conversational agents. *Computer Graphics (SIGGRAPH '94 Proceedings)*, 28(4): 413-420.
- Cassell, J., Torres, O. and Prevost, S. (1998) Turn taking vs. Discourse Structure: how best to model multimodal conversation. In Wilks (ed.) *Machine Conversations*. Kluwer, The Hague, 1998.
- Castellucci, S.J. & MacKenzie, I.S. (2008). Graffiti vs. Unistrokes: An Empirical Comparison. *Proc. CHI 2008: ACM Conference on Human Factors in Computing Systems*, 305-308.
- Chapanis, A. (1965). Words, Words, Words, *Human Factors*, 7(1), 17.
- Chapanis, A. & Kinkade, R. (1972). Design of Controls, in Van Cott, H. & Kinkade, R. (Eds.), *Human Engineering Guide to Equipment Design*, Revised Edition, Washington: U.S. Govt. Printing Office, 345-379.
- Chapman, D & Ware, C. (1992). Manipulating the future: Predictor based feedback for velocity control in virtual environment navigation. *Proceedings of 1992 Symposium on Interactive 3D Graphics*, 63-66.
- Chatty, S. (1994). Extending a graphical toolkit for two-handed interaction, *Proceedings of the 9th Annual ACM Symposium on User Interface Technology (UIST '94)*, 195-204.
- Chen, M., Mountford, J. & Sellen, A. (1988). A study in interactive 3-D rotation using 2-D control devices. *Computer Graphics* 22(4), 121-129.
- Clark, H.H. and Brennan, S.E. (1990) XXX
- Clark, H.H. and Brennan, S.E. (1991) Grounding in Communication. In *Shared Cognition: Thinking as Social Practice*, J. Levine, L.B. Resnick and S.D. Behrend, (eds.). APA Books, Washington, D.C.

- Clark, F., & Horch, K. (1986). Kinesthesia. In K. Boff, L. Kaufman, & J. Thomas (Eds.), *Handbook of Perception and Human Performance*. New York: John Wiley and Sons.
- Clynes, M. (1978). *Sentics: The Touch of Emotion*. Garden City NY: Anchor Books.
- Coase, Ronald (1947). "The Nature of the Firm". *Economica* 4 (November): 386-405 Also appears in Stigler & Boulding (Eds)(1952).*Readings in Price Theory*. Chicago, R. D. Irwin.
- Cockburn, A. Kristensson, P.O., Alexander, J. & Zhai, S. (2007). [Hard Lessons: Effort-Inducing Interfaces Benefit Spatial Learning](#), *Proc. CHI 2007: ACM Conference on Human Factors in Computing Systems*, 1571-1580.
- Cochran, D.J., Riley, M.W. & Stewart, L.A. (1980). An Evaluation of the Strengths, Weaknesses and Uses of Voice Input Devices. *Proceedings of the Human Factors Society - 24th Annual Meeting*. Los Angeles. XX-XX.
- Codella, C., Jalili, R., Koved, L., Lewis, B., Ling, D., Lipscomb, J. Rabenhorst, D., & Wang, C. (1992). Interactive Simulation in a Multi-Person Virtual World. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'92)*, 329-334.
- Cohen, C. (1982). System edits handwritten copy, finishes sketches. *Electronics*, June 30 issue.
- Cohen, P.R. (1992) The Role of Natural Language in a Multimodal Interface. *Proceedings of the 7th Annual ACM Symposium on User Interface Technology (UIST '92)*,143-149.
- Cohen, P.R., Dalrymple, M., Pereira, F.C.N., Sullivan, J.W., Gargan Jr., R.A., Schlossberg, J.L. and Tyler, S.W. (1989) Synergistic Use of Direct Manipulation and Natural Language. Conference on Human Factors in Computing Systems (CHI '89), pp. 227-233. Austin, Texas, IEEE, ACM, 1989.
- Cohen, P., Johnston, M., McGee, D., Oviatt, S., Pittman, J., Smith, I. & Clow, J. (1994). QuickSet: Multimodal Interaction for Distributed Applications. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 31-40.
- Coleman, M.L. (1969). Text editing on a graphic display device using hand-drawn proofreader's symbols. In M. Faiman & J. Nievergelt (Eds.) *Pertinent Concepts in Computer Graphics*, Proceedings of the 2nd University of Illinois Conference on Computer Graphics, Urbana: University of Illinois Press, 282 - 290.
- Conrad, R. (1966). Short-term memory factor in the design of data-entry keyboards: an interface between short-term memory and S-R compatibility. *Journal of Applied Psychology*, 50(5), 353-356.
- Conrad, R. & Longman, D.J.A. (1965). Standard Typewriter Versus Chord Keyboard: An Experimental Comparison, *Ergonomics*, 8, 77-88.
- Cooper, W.E. (Ed.)(1983). *Cognitive Aspects of Skilled Typewriting*, Berlin: Springer-Verlag.
- Cooper, W.E. (1983). Introduction. In W.E. Cooper (Ed.), *Cognitive Aspects of Skilled Typewriting*, Berlin: Springer-Verlag, 1-38.
- Craik, K. J. W., & Vince, M. A. (1963a). Psychological and physiological aspects of control mechanisms with special reference to tank gunnery, part I. *Ergonomics*, 6(1), 1-34.
- Craik, K. J. W., & Vince, M. A. (1963b). Psychological and physiological aspects of control mechanisms with special reference to tank gunnery, part II. *Ergonomics*, 6(4), 419-440.
- Crossman, E.R.F.W. (1959). A Theory of the Acquisition of Speed-Skill, *Ergonomics*, 3(2), 153 - 166.
- Crystal, D. (2008). *txtng: the gr8 db8*. Oxford: Oxford University Press.
- Cutkosky, M. R., & Howe, R. D. (1990). Human grasp choice and robotic grasp analysis. In S. T. Venkataraman & T. Iberall (Eds.), *Dextrous Robot Hands*. Berlin: Springer-Verlag. 5-31.
- Dannenberg, R. & Amon, D. (1989). A gesture based user interface prototyping system. *Proceedings of the 4th Annual ACM Symposium on User Interface Technology (UIST '89)*, 127-132.

- Darragh, J., Witten, I. & James, M. (1990). The Reactive Keyboard: A Predictive Typing Aid. *IEEE Computer*, November, 23(11), 41-49.
- Davidson, C. (Ed.)(2001). *Gesture in Medieval Drama and Art*. Kalamazoo, MI: Medieval institute Publications, Western Michigan University.
- Davis, M.R. & Ellis, T.O. (1964a). The Rand Tablet: A Man-Machine Graphical Communication Device, *Proceedings of the Fall Joint Computer Conference*, 325-331.
- Davis, M.R. & Ellis, T.O. (1964). The Rand Tablet: A Man-Machine Graphical Communication Device, *Memorandum RM-4122-ARPA*, Prepared for: Advanced Research Projects Agency by the Rand Corporation.
http://www.rand.org/content/dam/rand/pubs/research_memoranda/2005/RM4122.pdf
- de Bruyne, P. (1980). Acoustic radar graphic input device, *Computer Graphics*, 15(3), 25-31.
- Demasco, P.W. & McCoy, K.F. (1992). Generating text from compressed input: an intelligent interface for people with severe motor impairments. *Communications of the ACM*, 35(5), 68-78.
- Devoe, D.B. (1967). Alternatives to Handprinting in the Manual Entry of Data, *IEEE Transactions on Human Factors in Electronics*, 8 (1), 21-32.
- Dietz, P.H.& Leigh, D.L.(2001). DiamondTouch: A Multi-User Touch Technology, *Proceedings of the 14th Annual ACM Symposium on User Interface Technology (UIST '01)*, 219-226.
- Digital-Image-Design-Inc, (1993). The Cricket, product information. In New York, NY. XX replace ref with SIGGRAPH Quarterly paper
- Dillon, R., Edey, J. & Tombaugh, J. (1990). Measuring the true cost of command selection: techniques and results. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'90)*, 19-25.
- Dimond, T.L. (1957). Devices for Reading Handwritten Characters, *Proceedings of the Eastern Computer Conference*, 232 - 237.
- Dixon, J. (2007). Eight-Dot Braille. Braille Authority of North America.
www.brailleauthority.org/eightdot/eightdot.pdf
- Dixon, P. & Gabrys, G. (1991). Learning to operate complex devices: Effects of conceptual and operational similarity, *Human Factors*, 33(1), 103-120.
- Doherty, R. (1989). Proprietary tech: U-force is with you, *Electronic Engineering Times*, January 9, 1989, 6-7.
- Dominessy, M.E. (1989). [A literature review and assessment of touch interactive devices](#). *Technical Note 11-89*, U.S. Army Human Engineering Laboratory, Aberdeen Proving Ground, Maryland.
- Donelson, W. (1978). Spatial management of information, *Computer Graphics*, 12(3), 203-209.
- Doster, W. & Oed, R. (1984). Word processing with on-line script recognition, *IEEE Micro*, 4(5), 36 - 43.
- Douglas, S.A. & Mithal, A.M. (1994). The effect of reducing homing time on the speed of a finger-controlled isometric pointing device, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 411-416.
- Douglas, S.A. & Mithal, A.M. (1997). *The Ergonomics of Computer Pointing Devices*. London: Springer Verlag.
- Downton, A.C. & Brooks, C.P. (1984). Automated Machine Transcription in Commercial Applications, In B. Shackel (Ed.), *Human-Computer Interaction - INTERACT '84*, Elsevier Science Publishers B.V. (North-Holland), 151-156.
- Dreyfuss, H. (1955). *Designing for People*. New York: Simon and Schuster.

- Dreyfuss, H. (1972). *Symbol sourcebook: An authoritative guide to international graphic symbols*. New York: McGraw-Hill Book Company.
- Drury, C. G., & Hoffmann, E. R. (1992). A model for movement time on data entry keyboards. *Ergonomics*, 35(2), 129–148.
- Duda, R.O. & Hart, P.E. (1968). Experiments in the Recognition of Hand-Printed Text, II: Context Analysis, *Fall Joint Computer Conference*, 1139.
- Dunbar, S., Hartzell, E. J., Madison, P., & Remple, R. (1983). Helicopter integrated controller research. *Proceedings of the Nineteenth Annual Conference on Manual Control*. Cambridge, Massachusetts.
- Durlach, N. I., Delhorne, L. A., Wong, A., Ko, W. Y., Ranbinowitz, W. M., & Hollerbach, J. (1989). Manual discrimination and identification of length by the finger-span method. *Perception & Psychophysics*, 46(1), 29-38.
- Dye, R., Newell, A.F. & Arnott, J.L. (1984). An Adaptive Editor for Shorthand Transcription Systems, In B. Shackel (Ed.), *Human-Computer Interaction - INTERACT '84*, Elsevier Science Publishers B.V. (North-Holland), 157-161.
- Earl, W.K. & Goff, J.D. (1965). Comparison of Two Data Entry Methods, *Perceptual and Motor Skills*, 20, 369-384.
- Eglowstein, H. (1990). Reach out and touch you data. *Byte*, 15(7), 283-290.
- Ehrich, Roger W. (1978). Handwriting Recognition, in J. Belzer, A.G. Holzman, and A. Kent (Eds.). *Encyclopedia of Science and Technology* (9), New York: Marcel Dekker, Inc., 180-198.
- Ehrich, R.W. & Koehler, K.J. (1975). Experiments in the Contextual Recognition of Cursive Script, *IEEE Transactions on Computers*, 24(2), 182 - 194.
- Eilam, Z. (1989). Human engineering of the one-handed keyboard, *Applied Ergonomics*, 20(3), 225-229.
- Eller, M., Leyerle, C. & Pardikar, S. (1994). Method and system for recognizing a graphical object's shape, line style and fill pattern in a pen environment, *United States Patent 5,287,417*.
- Ellis, M. J. (1969). Control dynamics and timing a discrete motor response. *Journal of Motor Behavior*, 1(2), 119-134.
- Ellis, M. J., Schmidt, R. A., & Wade, M. G. (1968). Proprioception variables as determinate of lapsed time estimation. *Ergonomics*, 11, 177-182.
- Ellis, T.O. & Sibley, W. (1967). On the development of equitable graphic I/O, *IEEE Transactions on Human Factors in Electronics* 8(1), 15-17.
- Elrod, S., Bruce, R., Goldberg, D., Halasz, F., Janssen, W., Lee, D., McCall, K., Pedersen, E., Pier, K., Tang, J. & Welch, B. (1992). Liveboard: a large interactive display supporting group meetings, presentations and remote collaborations. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'92)*, 599-607.
- Engelbart, D. (1973). Design Considerations for Knowledge Workshop Terminals. *AFIPS Conference Proceedings of the National Computer Conference*, Vol. 42, 221-227.
- Engelbart, D. & English, W. (1968). A Research Centre for Augmenting Human Intellect, *Proceedings of the Fall Joint Computer Conference*, 395-410.
- English, W.K., Engelbart, D.C. & Berman, M.L. (1967). Display Selection Techniques for Text Manipulation, *IEEE Transactions on Human-Factors in Electronics*, 8(1), 5-15.
- Epps, B.W. (1986). Comparison of six cursor control devices based on Fitts' law models, *Proceedings of the Human Factors Society 30th Annual Meeting*, 327-331.

- Epps, B.W. (1986). A comparison of cursor control devices on target acquisition, text editing and graphics tasks, Ph. D. Dissertation, Dept. of Industrial Engineering and Operations Research, Virginia Polytechnic Institute and State University, Blacksburgh, Virginia.
- Epps, B.W., Snyder, H.L. & Muto, W.H. (1986). Comparison of six cursor devices on a target acquisition task. Unpublished manuscript, Dept. of Industrial Engineering and Operations Research, Virginia Polytechnic Institute and State University, Blacksburgh, Virginia.
- Evans, K., Tanner, P. & Wein, M. (1981). Tablet-Based Valuator That Provide One, Two, or Three Degrees of Freedom. *Computer Graphics*, 15 (3), 91-97.
- Eysenck, M. (1984). *A Handbook of Cognitive Psychology*, Hillsdale, N.J.: Lawrence Erlbaum Associates.
- Fallon, K.K. (1998). Early Computer Graphics Developments in the Architecture, Engineering, and Construction Industry, *IEEE Annals of the History of Computing*, 20(2), 20-29.
- Fallot-Burghardt, W., Fjeld, M., Speirs, C, Ziegenspeck, S., Krueger, H. & Läubli, T. (2006). Touch&Type: A Novel Pointing Device for Notebook Computers. *Proceedings of the 4th Nordic Conference on Human-Computer Interaction (NordiCHI 2006)*, 465-468.
- Fels, S. (1990). *Using connectionist learning procedures for adaptive interfaces: Glove-Talk case study*, MSc Thesis, Dept. of Computer Science, University of Toronto.
- Fels, S. & Hinton, G. (1990). Building adaptive interfaces with neural networks: the glove-talk pilot study. In D. Diaper et al. (Eds), *Human-Computer Interaction - INTERACT '90*, Elsevier Science Publishers B.V. (North-Holland), 683-688.
- Fels, S. & Hinton, G. (1995). Glove-Talk II: An adaptive gesture-to-formant interface. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'95)*, 456-463.
- Ferrell, W.R., Knight, L.W. & Koeneman, J. (1992). Preliminary Test and Evaluation of DataHand: A Keyboard Alternative Designer to Prevent Musculoskeletal Disorders and to Improve Performance. In S. Kumar (Ed.). *Advances in Industrial Ergonomics and Safety IV*. London: Taylor & Francis, 411-418.
- Fisher, S.S., McGreevy, M., Humphries, J. & Robinett, W. (1986). Virtual Environment display system. *Proceedings of the 1986 Workshop on Interactive 3D Graphics*, 77-87.
- Fisher, S.S. & Tazelaar, J.M. (1990). Living in a virtual world. *Byte*, 15(7), 215-221.
- Fishkin, Kenneth, Partridge, Kurt & Chatterjee, Saurav (2002). Wireless User Interface Components for Personal Area Networks. *IEEE Pervasive Computing*, 1(4), 49-55.
- Fitts, P. M. (1951). Engineering psychology and equipment design. In S. S. Stevens (Eds.), *Handbook of Experimental Psychology*. New York: John Wiley & Sons.
- Fitts, P. (1954). The information capacity of the human motor system in controlling the amplitude of movement. *Journal of Experimental Psychology*, 47, 103-112.
- Fitts, P. (1964). Perceptual-motor skill learning. In A.W. Melton (ed.). *Categories of Human Learning*. New York: Academic Press.
- Fitts, P.M. & Deininger, R.L. (1954). S-R Compatibility: Correspondence Among Paired Elements Within Stimulus-Response Codes, *Journal of Experimental Psychology*, 48, 483 - 492.
- Fitts, P. & Peterson, J. (1964). Information Capacity of Discrete Motor Responses. *Journal of Experimental Psychology*, 67, 103-112.
- Fitts, P. M., & Seeger, C. M. (1953). S-R compatibility: spatial characteristics of stimulus and response codes. *Journal of Experimental Psychology*, 46, 199-210.
- Fitzmaurice, G., Balakrishnan, R., Kurtenbach, G. & Buxton, W. (1999). An exploration into supporting artwork orientation in the user interface. *Proceedings of the 1999 ACM Conference on Human Factors in Computing Systems, CHI '99*, 167-174.

- Fitzmaurice, G. & Buxton, B. (1997). An empirical evaluation of graspable user interfaces. *Proceedings of CHI '97* (Atlanta, GA., March 25-27). New York: ACM Press.
- Fitzmaurice, G., Ishii, H., & Buxton, B. (199?). Bricks: Laying the foundations for graspable user interfaces. *Proceedings of CHI'95*, 442-449.
- Fitzmaurice, G., Zhai, S., & Chignell, M. (1993). Virtual reality for palmtop computers. *ACM Transactions on Information Systems*, Vol. 11, No. 3, New York: ACM Press, 197-218.
- Flowers, K. (1975). Handedness and controlled movement. *British Journal of Psychology*, 66, 39-52.
- Foley, J. (1987). Interfaces for Advanced Computing. *Scientific American* 257(4),82-90.
- Foley, J.D. & Wallace, V.L. (1974). The Art of Graphic Man-Machine Conversation, *Proceedings of IEEE*, 62 (4), 462-470.
- Foley, J.D., Wallace, V.L. & Chan, P. (1984). The Human Factors of Computer Graphics Interaction Techniques. *IEEE Computer Graphics and Applications*, 4 (11), 13-48.
- Foley, J. & van Dam, A. (1982). *Fundamentals of Interactive Computer Graphics*, Reading, MA: Addison-Wesley.
- Foley, J., van Dam, A., Feiner, S. & Hughes, J. (1990). *Computer Graphics Principles and Practice*. Reading, MA: Addison-Wesley.
- Ford, W.R., Weeks, G.D. & Chapanis, A. (1980). The Effect of Self-Imposed Brevity on the Structure of Dyadic Communication. *Journal of Psychology*, 104, 87-103.
- Fracker, M. L., & Wickens, C. D. (1989). Resources, confusions, and compatibility in dual-axis tracking: displays, controls and dynamics. *Journal of Experimental Psychology: Human Perception and Performance*, 15(1), 80-96.
- Francik, E. & Akagi, K. (1989). Designing a computer pencil and tablet for handwriting. *Proceedings of the Human Factors Society 33rd Annual Meeting*, 445-449.
- Francik, E., Ehrlich-Rudman, S., Cooper, D. & Levine, S. (1991). Putting innovation to work: Adoption strategies for multimedia communication systems. *Communications of the ACM*, 34(12), 53-63.
- Francis, L. (1976). PLATO IV Terminal Peripheral Devices. University of Illinois Computer-based Education Research Laboratory: MTC Report No. 9.
- Frankish, C., Hull, R. & Morgan, P. (1995). Recognition accuracy and user acceptance of pen interfaces. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'95)*, 503-510.
- Freeman, W., Anderson, D., Beardsley, P., Dodge, C., Roth, M., Weissman, C., Yerazunmis, W., Kage, H., Kyuma, K., Miyake, Y. & Tanaka, K. (1998). Computer vision for interactive computer graphics. *IEEE Computer Graphics and Applications*, 18(3), May/June 1988, 42-52.
- Friedman, Z., Kirschenbaum, A. & Melnik, A. (1984). *The Helpwrite Experiment: A Human Factors Application for the Disabled*. Unpublished Manuscript, Technion Israel Institute of Technology, Haifa 321000. See Kirschenbaum et al., (1986)
- Fuchs, A. H. (1962). The progression-regression hypothesis in perceptual-motor skill learning. *Journal of Experimental Psychology*, 29, 39-53.
- Funda, J., Lindsay, T. S., & Paul, R. P. (1992). Teleprogramming: toward delay invariant remote manipulation. *Presence - Teleoperators and Virtual Environments*, 1(1).
- Furnas, G. W. & Bedersen, B. B. (1995). Space-scale diagrams: Understanding multiscale interfaces. *Proceedings of CHI '95* (). New York: ACM Press, 234-241.
- Gaillat, G. (1978). A simple learning decision algorithm for character recognition and pattern classification. *Pattern Recognition*, 10, 99-104

- Gaines, B., McKellar, I., Dinger, W., Fast, S., Fowles, B., Fraccaro, M., Jolivet, G. & Maludzinski, A. (1984). *Proceedings of the IEEE 7th International Conference on Pattern Recognition*, 630-632.
- Gandevia, S. C., & Burke, D. (1992). Does the nervous system depend on kinesthetic information to control natural limb movements? *Behavioral and Brain Sciences*, 15, 614-632.
- Gardner, H. (1987). *The Mind's New Science*, second edition, New York: Basic Books.
- Garner, W. R. (1974). *The Processing of Information and Structure*. Potomac, MD: Lawrence Erlbaum.
- Garonzik, R. (1989). Hand dominance and implications for left-handed operation of controls, *Ergonomics*, 32(10), 1185-1192.
- Gaur, A. (1992). *A History of Writing*. (Revised Edition). London: British Library.
- Gaver, W. (1991). Technology affordances, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 79-84.
- Gelderen, T. van, Jameson, A. & Duwaer, A. (1993). Text Correction in Pen-Based Computers: An Empirical Comparison of Methods. *INTERCHI'93 Short Papers*, 87-88.
- Gentner, D. (1981). Skilled finger movements in typing. *Centre for Human Information Processing Technical Report 104*, La Jolla: UCSD.
- Gentner, D. (1983). Keystroke timings in transcription typing. In W.E. Cooper (Ed.), *Cognitive Aspects of Skilled Typewriting*, Berlin: Springer-Verlag, 95-120.
- Gentner, D., Grudin, J., Larochelle, S., Norman, D. & Rumelhart, D. (1983). A glossary of terms including a classification of typing errors. In W.E. Cooper (Ed.), *Cognitive Aspects of Skilled Typewriting*, Berlin: Springer-Verlag, 39-43.
- Ghez, C., Gordon, J., Ghilardi, M. F., Christakos, C. N., & Cooper, S. E. (1990). Roles of proprioceptive input in the programming of arm trajectories. *Proceedings of Cold Spring Harbor Symposia on Quantitative Biology*. Cold Spring Harbor Laboratory Press.
- Ghez, C., & Sainburg, R. (in press). Proprioceptive control of interjoint coordination. *Canadian Journal of Physiology and Pharmacology*. XX-XX.
- Gibbs, C. B. (1954). The continuous regulation of skilled response by kinesthetic feedback. *British Journal of Psychology*, 45, 24-39.
- Gibbs, C. B. (1962). Controller design: Interactions of controlling limbs, time-lags and gains in positional and velocity systems. *Ergonomics*, 5(2), 385-402.
- Gibbs, C. B. (1967). Comments on 'An investigation into the comparative suitability of forearm, hand and thumb controls in acquisition tasks' by Hammerton and Tickner. *Ergonomics*, 10(4), 431-432.
- Gibson, J. J. (1979). *The ecological approach to visual perception*. New York: Houghton Mifflin. (Also published by Lawrence Erlbaum Associates, Hillsdale, New Jersey, 1986).
- Gillan, D.J., Holden, K., Adam, S., Rudisill, M. & Magee, L. (1990). How does Fitts' law fit pointing and dragging? *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'90)*, 227-234.
- Goldberg, D. & Goodisman, A. (1991). Stylus user interfaces for manipulating text. *Proceedings of the Fourth ACM SIGGRAPH Symposium on User Interface Technology (UIST'91)*, 127 - 135.
- Goldberg, D. & Richardson, C. (1993). Touch-typing with a stylus, *Proceedings of the ACM Conference on Human Factors in Computing Systems (InterCHI'93)*, 80-87.
- Goldin-Meadow, S. (2003). *Hearing Gesture: How our Hands Help us Think*. Cambridge MA: Belknap Press.

- Goodisman, A. (1991). A stylus-based interface for text: Entry and Editing. *Technical Report CSL-91-10*, Xerox Palo Alto Research Center.
- Goodwin, N.C. (1975). Cursor Positioning on an Electronic Display Using Lightpen, Lightgun, or Keyboard for Three Basic Tasks, *Human Factors*, 17(3), 289-295.
- Gopher, D. (1984). The contribution of vision-based imagery to the acquisition and operation of a transcription skill. In W. Prinz & A.F. Sanders (Eds.). *Cognition and motor processes*. Berlin: Springer-Verlag, 195-208.
- Gopher, D., Karis, D. & Koenig, W. (1985). The representation of movement schemas in long-term memory: lessons from the acquisition of a transcription skill., *Acta Psychologica* 60, 105-134.
- Gopher, D. & Koenig, W. (1983). Hands Coordination in Data Entry with a Two-Hand Chord Typewriter. *Technical Report CPL 83-3*, Cognitive Psychology Laboratory, Dept. of Psychology, University of Illinois, Champaign, ILL 61820.
- Gopher, D. & Raji, D. (1988). Typing with a two-hand chord keyboard: Will the QWERTY become obsolete? *IEEE Transactions on Systems, Man, and Cybernetics*, 18(4), 601-609.
- Goth, G. (2010). The eyes have it. *Communications of the ACM*, 53(12), 13-15.
- Gottsdanker, R., & Tietz, J. D. (1992). Reaction time for horizontal versus vertical line-length discrimination. *Bulletin of the Psychonomic Society*, 30(1), 74-76.
- Gould, J.D. & Salaun, J. (1987). Behavioral experiments on handmarkings. *ACM Transactions on Office Information Systems*, 5, 358-377.
- Grasso, M., Ebert, D. & Finn, T. (to appear) The Integrality of Speech in Multimodal Interfaces. Submitted for publication in *ACM Transactions on Computer-Human Interaction*.
- Green, M., Bryson, S., Poston, T., & Wexelblat, A. (1994). Hands off my VR: the role of gestures in VR (panel session). *Proceedings of Virtual Reality Software and Technology*, (pp. 267-268). Singapore: Worlds Scientific.
- Green, R. (1985). The Drawing Prism: A Versatile Graphic Input Device, *Computer Graphics*, 19(3), 103-110.
- Green, T.R.G. & Payne, S.J. (1984). Organization and Learnability in Computer Languages, *International Journal of Man-Machine Studies* 21(1), 7-18.
- Green, T.R.G., Payne, S.J., Gilmore, D.J. & Mephram, M. (1984). Predicting Expert Slips, In B. Shackel (Ed.), *Human-Computer Interaction - INTERACT '84*, Elsevier Science Publishers B.V. (North-Holland), 519-525.
- Greenstein, Joel S. & Arnaut, Lynn Y. (1988). Input Devices. In Helander, M. (Ed.). *Handbook of HCI*. Amsterdam: North-Holland, 495-519.
- Gritten, A. & King, E. (Eds.)(2011). *New Perspectives on Music and Gesture*. Aldershot: Ashgate Publishing.
- Groner, G.F. (1966). Real-Time Recognition of Hand Printed Text, *Fall Joint Computer Conference*, 591.
- Groner, G.F., Clark, R.L., Berman, R.A. & DeLand, E.C. (1971). BIOMOD: an interactive graphics system for modelling. *Proceedings of the Fall Joint Computer Conference*, 369.
- Grudin, J. (1983). Error patterns in novice and skilled transcription typing. In W.E. Cooper (Ed.), *Cognitive Aspects of Skilled Typewriting*, Berlin: Springer-Verlag, 121-142.
- GSPC (1977). Status Report of the Graphics Standards Planning Committee, *Computer Graphics*, 11(3).
- GSPC (1979). Status Report of the Graphics Standards Planning Committee, *Computer Graphics*, 13(3).

- Guedj, R.A., ten Hagen, P., Hopgood, F.R., Tucker, H. and Duce, D.A. (Eds.), (1980), *Methodology of Interaction*, Amsterdam: North Holland Publishing.
- Guiard, Y. (1997). The distal-to-proximal increase of link length along the human kinematic chain : An exponential progression of workspace extension. *Annales de Sciences Naturelles (Zoologie)*, 18, 151-156
- Guiard, Y. (1987). Asymmetric division of labor in human skilled bimanual action: the kinematic chain as model. *Journal of Motor Behavior*, 19(4), 486-517.
- Guiard, Y. (1988). The kinematic chain as a model for human asymmetrical bimanual cooperation. In A. Colley & J. Beech (Eds.), *Cognition and Action in Skilled Behaviour*, Amsterdam : North-Holland, 205-228.
- Guiard, Y. (1989). Failure to sing the left-hand part of the score during piano performance : Loss of the pitch and Stroop vocalizations. *Music Perception*, 6, 299-314.
- Guiard, Y., Diaz, G., & Beaubaton, D. (1983). Left-hand advantage in right handers for spatial constant error : preliminary evidence in a unimanual ballistic aimed movement. *Neuropsychologia*, 21, 111-115.
- Guiard, Y. & Ferrand, T. (1996). Asymmetry in bimanual skills. In D. Elliott & E. A. Roy (Eds.), *Manual asymmetries in motor performance* (pp. 175-195). Boca Raton : CRC Press.
- Gurley, B.M. & Woodward, C.E. (1959). Light-pen links computer to operator, *Electronics*, 32, 85-87.
- Haber, R. N., & Hershenson, M. (1973). *The Psychology of Visual Perception*. New York: Holt, Rinehart & Winston.
- Halasz, F. & Moran, T.P. (1982). Analogy Considered Harmful, *Proceedings of the Conference on Human Factors in Computer Systems*, Gaithersburg, Maryland, 383 - 386.
- Halasz, Frank & Moran, Thomas P. (1983). Mental Models and Problem Solving in Using a Calculator, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'83)*, 212 - 216.
- Hall, A., Cunningham, J., Roache, R. & Cox, J. (1988). Factors affecting performance using touch-entry systems: tactual recognition fields and system accuracy. *Journal of Applied Psychology*, 73(4), 711-720.
- Haller, R., Mutschler, H. & Voss, M. (1984). Comparison of Input Devices for Correction of Typing Errors in Office Systems, In B. Shackel (Ed.), *Human-Computer Interaction - INTERACT '84*, Elsevier Science Publishers B.V. (North-Holland), 177-182.
- Hammerton, M. (1981). Tracking. In D. H. Holding (Eds.), *Human Skills*. New York: J. Wiley.
- Hammerton, M., & Tickner, A. H. (1966). An investigation into the comparative suitability of forearm, hand and thumb controls in acquisition tasks. *Ergonomics*, 9(2), 125-130.
- Hammerton, M., & Tickner, A. H. (1967). Reply to Comments by C.B. Gibbs. *Ergonomics*, 10(4), 433.
- Hardock, G. (1991). Design issues for line-driven text editing / annotation systems. *Proceedings of Graphics Interface '91*, 77-84.
- Hardock, G., Kurtenbach, G., and Buxton, W. (1993). A marking based interface for collaborative writing. *Proceedings of UIST'93*, 259-266.
- Harrison, B.L., Ishii, H., Vicente, K. & Buxton, W. (1995). Evaluation of a Display Design Space: Transparent Layered User Interfaces. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'95)*, 317-324.
- Harrison, C., & Hudson, S. E. (2012). Using Shear as a Supplemental Two-Dimensional Input Channel for Rich Touchscreen Interaction. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'12)*, 3149-3152.

- Harrison, C., Sato, M., & Poupyrev, I. (2012). Capacitive Fingerprinting: Exploring User Differentiation by Sensing Electrical Properties of the Human Body. *Proceedings of the 25th Annual ACM Symposium on User Interface Software and Technology, UIST'12*, 537-543.
- Hartman, B.O. (1961). Time and Load Factors in Astronaut Proficiency. In B. E. Flattery (Ed.) *Symposium on Psychophysiological Aspects of Space Flight*, New York: Columbia University Press.
- Hasan, Z. (1992). Role of Proprioceptors in Neural Control. *Current Opinion in Neurobiology*, 2(6), 824-829.
- Hashimoto, M. & Togasi, M. (1995). A virtual oval keyboard and vector input method for pen-based character input. *CHI'95 Conference Companion*, 254-255.
- Hatamian, M. & Brown, E.F. (1985). A new light pen with subpixel accuracy. *AT&T Technical Journal* 64(5), 1065 - 1075.
- Hatamian, M., Budrikis, Z.L., Kubik, P.S. & Netravali, A.N. (1987). Accurate light pen, *Computer Vision, Graphics, and Image Processing*, 39, 246-257.
- Hauptmann, A.G. (1989). Speech and gestures for graphic image manipulation *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'89)*, 241-245.
- Hauptmann, A.G. & McAvinney, P. (1993). Gestures with Speech for Graphics Manipulation. *Intl. J. Man-Machine Studies*, 38, 231-249.
- Hayes, K.C. (1980). Reading handwritten words using hierarchical relaxation, *Computer Graphics and Image Processing*, 14, 344-364.
- Hayward, V. (1995). Toward a seven axis haptic device, *Proceedings 1995 IEEE/RSJ International Conference on Intelligent Robots and Systems. Human Robot Interaction and Cooperative Robots*, Pittsburgh, 133-139 vol.3, [doi: 10.1109/IROS.1995.525874](https://doi.org/10.1109/IROS.1995.525874).
- Hayward, V., Astley, O.R., Cruz-Hernandez, M., Grant, D. & Robles-De-La-Torre, Gabriel (2004), Haptic Interfaces and Devices. *Sensor Review*, 24(1), 16-29. <https://doi.org/10.1108/02602280410515770>.
- Hayward, V., Nemri, C., Chen, X., & Duplat, B. (1993). Kinematic decoupling in mechanisms and application to a passive hand controller design. *Journal of Robotic Systems*, 10(5), 767-790.
- Herbst, N.M. & Liu (1977). Automatic signature verification based on accelerometry. *IBM J.Res. Dev.* 21(3), 245-253.
- Herndon, K. P., Zeleznik, R. C., Robbins, D. C., Conner, D. B., Snibbe, S. S., & van Dam, A. (1992). Interactive shadows. *Proceedings of ACM Symposium on User Interface Software and Technology (UIST'92)*, 1-6.
- Heo, S. & Lee, G. (2011). Force Gestures: Augmenting Touch Screen Gestures with Normal and Tangential Forces. *Proceedings of the 26th Annual ACM Symposium on User Interface Technology (UIST '11)*, 621 – 626.
- Herot, C. (1976). Graphical input through machine recognition of sketches, *Computer Graphics*, 10(2), 97-102.
- Herot, C. (1984). Graphical User Interfaces, Human Factors and Interactive Computer Systems, In Vassilion (Ed.), XXXX Norwood, N.J.: Ablex Publishers, 83 - 103.
- Herot, C. & Weinzapfel, G. (1978). One-Point Touch Input of Vector Information from Computer Displays, *Computer Graphics*, 12(3), 210-216.
- Hess, R. A. (1973). Nonadjectival rating scales in human response experiments. *Human Factors*, 15(3), 275-280.
- Heuer H. (1993). Structural constraints on bimanual movements. *Psychological Research*, 55(2): 83-98.
- Hill, R. (1987). Adaptive 2-D rotation control, *ACM Transactions on Graphics*, 6(2), 159-161.

- Hillis, W.D. (1982). A high-resolution imaging touch sensor. *The International Journal of Robotics Research*, 1(2), 33-44.
- Hinckley, K., Czerwinski, M. & Sinclair, M. (1998). Interaction and Modeling Techniques for Desktop Two-Handed Input. *Proceedings of the 13th Annual ACM Symposium on User Interface Technology (UIST '98)*, 49-58.
- Hinckley, K., Pausch, R., Goble, J., Kassell, N. (1994). Passive real-world interface props for neurosurgical visualization. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 452-458.
- Hinckley, K., Pausch, R., Goble, J., Kassell, N. (1994). A survey of design issues in spatial input. *Proceedings of the 9th Annual ACM Symposium on User Interface Technology (UIST '94)*, 213-222.
- Hinckley, K., Pausch, R. & Proffitt, D. (1997). Attention and visual feedback: the bimanual frame of reference. *Proceedings of the 1997 Symposium in Interactive 3D Graphics*, 121-126.
- Hinckley, K., Pausch, R., Proffitt, D. Patten, J. & Kassell, N. (1997). Cooperative bimanual action. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'97)*, 27-34.
- Hinckley, K. & Sinclair, M. (1998). Touch-Sensing Input Devices. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'98)*, 223-230.
- Hlady, A.M. (1969). A touch sensitive X-Y position encoder for computer input. *AFIPS Annual Fall Joint Computer Conference*, 35, 545-551.
- Hodes, D. (1987). Research and design of a mouse, *Proceedings of INTERFACE '87, Human Implications of Product Design*, May 13-15, Rochester, N.Y., 321-325.
- Hodes, D. & Akagi, K. (1986). Study, development, and design of a mouse, *Proceedings of the Human Factors Society 30th Annual Meeting*, 900-904.
- Hoffmann, E.R. (1991). Capture of moving targets: a modification of Fitts' Law. *Ergonomics*, 34(2), 211-220.
- Hoffmann, E.R. (1991). A comparison of hand and foot movement times, *Ergonomics*, 34(4), 397-406.
- Hoffmann, E.R. & Drury, C.G. (2012). Comment on "Visual layout modulates Fitts's law: The importance of first and last positions", *Psychonomic Bulletin & Review*, 19(1), 146-150.
- Hornbuckle, G.D. (1967). The computer graphics user/machine interface, *IEEE Transactions on Human Factors in Electronics*, 8(1), 17 - 20.
- Hosaka, M. & Kimura, F. (1977). An interactive geometrical design system with handwriting input. *Information Processing '77*, Amsterdam: North Holland, 167-172.
- Hosaka, M. & Kimura, F. (1982). Using handwriting action to construct models of engineering objects. *IEEE Computer*, November issue, 35-47.
- Hutchinson, T., White, K., Martin, W., Reichert, K. & Frey, L. (1989). Human-computer interaction using eye-gaze input. *IEEE Transactions on Systems, Man and Cybernetics*, 19(6), 1527-1534.
- Howell, D. C. (1992). *Statistical methods for psychology* (Third ed.). Boston: PWS-KENT Publishing Company.
- Howland, D., & Noble, M. E. (1953). The effect of physical constraints on a control on tracking performance. *Journal of Experimental Psychology*, 46(5), 353-360.
- Hughes, P. C. (1986). *Spacecraft Attitude Dynamics*. New York: John Wiley & Sons.
- Hummels, C. (2000). *Gestural Design Tools: Prototypes, Experiments and Scenarios*. PhD Thesis, Technical University of Delft.

- Irani, K. B., Wallace, V. L., and Jackson, J. H. (1970). Conversational design of stochastic service systems from a graphical terminal, in Parslow and Green, (Eds.) *Proceedings of the 1970 International Symposium on Computer Graphics*, 91 - 101.
- ISO (1983). *Information Processing Graphics Kernel System (GKS) Functional Description*, International Standards Organization, ISO/DP 7942.
- Isokoski, Poika (2004). Performance of Menu-Augmented Soft Keyboards, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'04)*, 423-430.
- Iwata, H. (1990). Artificial reality with force-feedback: development of desktop virtual space with compact master manipulator, *Computer Graphics* 24(3), Proceedings of SIGGRAPH '90, 165-170.
- Jackson, J.C. & Roske-Hofstrand, R.J. (1989). Circling: a method of mouse-based selection without button presses. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'89)*, 161-166.
- Jacob, R. (1991). The use of eye movements in human-computer interaction techniques: What you look at is what you get, *ACM Transactions on Information Systems (TOIS)*, 9(2), 152-169.
- Jacob, R. J. K., Leggett, J. J., Myers, B. A., & Pausch, R. (1993). Interaction styles and input/output devices. *Behaviour & Information Technology*, 12(2, Special issue: Human-computer interaction research agendas), 69-79.
- Jacob, R. & Sibert, L. (1992). The perceptual structure of multidimensional input device selection. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'92)*, 211-218.
- Jacob, R. J. K., Sibert, L. E., McFarlane, D. C., & Mullen, M. P. (1994). Integrality and separability of input devices. *ACM Transactions on Computer-Human Interaction*, 1(1), 3-26.
- Jacobus, H. N., Riggs, A. J., Jacobus, C. J., & Weinstein, Y. (1992). Implementation issues for telerobotic hand controllers: human-robot ergonomics. In M. Rahimi & W. Karwowski (Eds.), *Human-Robot Interaction*. London: Taylor & Francis.
- Jagacinski, R. J., & Hah, S. (1988). Progression-regression effects in tracking repeated patterns. *Journal of Experimental Psychology: Human Perception and Performance*, 14(1), 77-88.
- Jagacinski, R. J., Hartzell, E. J., Ward, S., & Bishop, K. (1978). Fitts' law as a function of system dynamics and target uncertainty. *Journal of Motor Behavior*, 10(2), 123-131.
- Jagacinski, R.J. & Monk, D.L. (1985). Fitts' law in two dimensions with hand and head movements. *Journal of Motor Behavior*, 17(1), 77-95.
- Jagacinski, R. J., Repperger, D. W., Moran, M. S., Ward, S. L., & Class, B. (1980). Fitts' law and the microstructure of rapid discrete movements. *Journal of Experimental Psychology: Human Perception and Performance*, 6(2), 309-320.
- Jami, L. (1992). Golgi tendon organs in mammalian skeletal muscle: functional properties and central actions. *Physiological Review*, 72(3), 623-663.
- Jellinek, H. D. & Card, S. K. (1990). Powermice and user performance *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'90)*, 213-220.
- Jenkins, W.L. & Connor, M.B. (1949). Some design factors in making settings on a linear scale. *Journal of Applied Psychology*, 33(4), 395-409.
- John, B. & Newell, A. (1989). Cumulating the science of HCI: From S-R compatibility to transcription typing, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'89)*, 109-114.
- John, B., Rosenbloom, P. & Newell, A. (1985). A Theory of Stimulus-Response Compatibility Applied to Human-Computer Interaction, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'85)*, 213 - 219.

- Johnsen, E. G., & Corliss, W. R. (1971). *Human Factors Applications in Teleoperator Design and Operation*. John Wiley & Sons, Inc.
- Johnson, E.A. (1965). Touch Display – A novel input/output device for computers. *Electronics Letters*, 1(8), 219-220.
- Johnson, E. A.(1967). Touch Displays: A Programmed Man-Machine Interface, *Ergonomics*, 10(2), 271-277. Also appears in in W.T. Singleton, R.S. Easterby & D.C. Whitfield (Eds.). *The Human Operator in Complex Systems*. London: Taylor & Francis, 171-177.
- Johnson, J., Roberts, T.L., Verplank, W., Smith, D.C., Irby, C.H., Beard, M., Mackey, K. (1989). The Xerox Star: A Retrospective, *IEEE Computer*, 22 (9), 11 – 26.
- Johnson, P., Long, J. & Visick, D. (1986). Voice versus keyboard: use of a computer analysis of learning to identify skill requirements of input devices. In M. Harrison & A. Monk (Eds.). *People and Computers: Designing for Usability, Proceedings of the Second Conference of the British Computer Society Human Computer Interaction Specialist Group*. Cambridge: Cambridge University Press, 546-562.
- Johnston, M., Cohen, P., McGee, D., Oviatt, S., Pittman, J., Smith, I. (1997) Unification-based Multimodal Integration. XXXXXXXX
- Johnstone, E. (1985). The rolyk: a poly-touch controller for electronic music, In B. Truax (Ed.), *Proceedings of the International Computer Music Conference*, Vancouver, 291-295.
- Jones, D., Hopeshi, K, & Frankish, C. (1989). Design Guidelines for Speech Recognition Interfaces. *Applied Ergonomics* , 20(1), 47-52.
- Jones, L. A., & Hunter, I. W. (1990). Influence of the mechanical properties of a manipulandum on human operator dynamics I: Elastic Stiffness. *Biological Cybernetics*, 62, 299-307.
- Kabbash, P. & Buxton, W. (1995). The “Prince” Technique: Fitts’ Law and Selection Using Area Cursors. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI’95)*, 273-279.
- Kabbash, P., Buxton, W.& Sellen, A. (1994), Two-handed input in a compound task. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI’94)*, 417-423.
- Kabbash, P., MacKenzie, I.S. & Buxton, W. (1993). Human performance using computer input devices in the preferred and non-preferred hands. *Proceedings of the ACM Conference on Human Factors in Computing Systems (InterCHI’93)*, 474-481.
- Kanigel, R. (1997). *The One Best Way*. New York: Viking.
- Kankaapaa, A. (1988). FIDS: A flat-panel interactive display System, *IEEE Computer Graphics and Applications*, 8(2), 71-82.
- Kantowitz, H. (Ed.) (1974). *Human Information Processing: Tutorials in Performance and Cognition*, Hillsdale, N.J.: Lawrence Erlbaum Associates.
- Kantowitz, B.H. (1991). Effects of response symmetry upon bi-manual rapid aiming, *Proceedings of the Human Factors Society 35th Annual Meeting*, 1541-1545.
- Kantowitz, B.H. & Sorkin, R.D. (1983). *Human-Factors: Understanding People-System Relationships* , New York: John Wiley & Sons.
- Karat, J., Boyes, L., Weisgerber, S. & Schafer, C. (1986). Transfer Between Word Processing Systems. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI’86)*, 67 - 71.
- Karat, J., McDonald, J. & Anderson, M. (1986). A comparison of menu selection techniques: touch panel, mouse and keyboard, *International Journal of Man-Machine Studies* 25(1), 73-88.
- Kaufman, L. (1974). *Sight and mind - an introduction to visual perception*. London: Oxford University Press.

- Kay, P. (1993) Speech Driven Graphics: a User Interface. *Journal of Microcomputer Applications*, 16, 223-231.
- Keele, S. W. (1986). Motor Control. In K. R. Boff, L. Kaufman, & J. P. Thomas (Eds.), *Handbook of Perception and Human Performance*. New York: John Wiley & Sons.
- Kelso, J., Southard, D. & Goodman, D. (1979). On the coordination of two-handed movements, *Journal of Experimental Psychology: Human Perception and Performance*, 5(2), 229-238.
- Kendon, A. (1980). Gesticulation and Speech: two aspects of the process of utterance. In M.R. Key (Ed.). *Nonverbal Communication in Language. The Hague: Mouton*, 207-227.
- Kendon, A. (1986). Current Issues in the Study of Gesture. In Jean-Luc Nespoulous, Paul Perron & André Roch Lecours (Eds.). *The Biological Foundations of Gestures: Motor and Semiotic Aspects*. Hillsdale: Lawrence Erlbaum. 23-47.
- Kendon, A. (2004). *Gesture: Visible Action as Utterance*. Cambridge: Cambridge University Press.
- Kessler, G.D., Hodges, L.F. & Walker, N. (1995). Evaluation of the CyberGlove as a whole-hand input device. *ACM Transactions on Computer-Human Interaction (TOCHI)*, 2(4), 263-283.
- Keyson, D. (1996). *Touch in user interface navigation*. PhD Thesis, Technische Universiteit Eindhoven.
- Kim, J. & Tappert, C.C. (1984). Handwriting recognition accuracy versus tablet resolution and sampling rate. *Proceedings of the IEEE Seventh International Conference on Pattern Recognition*, 917-918.
- Kim, W. S., Tendick, F., Ellis, S. R., & Stark, L. W. (1987). A comparison of position and rate control for telemanipulation with consideration of manipulator system dynamics. *IEEE Journal of Robotics and Automation*, RA-3(5), 426-436.
- Kinsbourne, M. & Hicks, R.E. (1978). Functional Cerebral Space; a Model for Overflow, Transfer and Interference Effects in Human Performance: a Tutorial Review. In J. Requin (Ed). *Attention and Performance VII.*, Hillsdale, NJ: Erlbaum, XX-XX.
- Kirk, David S. (2006). *Turn it This Way: Remote Gesturing in Video-Mediated Communication*. PhD Thesis. University of Nottingham.
- Kirk, David S. & Fraser, Danaë Stanton (2005). The Effects of Remote Gesturing on Distance Instruction. *Proceedings of ECSCW 2005*, 301-310.
- Kirk, David S. & Fraser, Danaë Stanton (2006). Comparing Remote Gesture Technologies for Supporting Collaborative Physical Tasks. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'06)*, 1191-1200.
- Kirk, David S., Rodden, Tom & Fraser Danaë Stanton (2007). Turn it This Way: Grounding Collaborative Action with Remote Gestures. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'07)*, 1039-1048.
- Kirschenbaum, A., Friedman, Z. & Melnik, A. (1986). Performance of disabled persons on a chordic keyboard, *Human Factors*, 28(2), 187-194.
- Kirsh, D. and Maglio, P. (1994). On Distinguishing Epistemic from Pragmatic Action, *Cognitive Science*, 18(4), 513-549.
- Klemmer, E.T. (1971). Keyboard Entry, *Applied Ergonomics*, 2(1), 2-6.
- Knep, B., Hayes, C., Sayre, R. & Williams, T. (1995). Dinosaur input device. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'95)*, 304- 309.
- Knight, L. & Rettner, D. (1989). Datahand: design, potential, performance, and improvements in the computer keyboard and mouse, *Proceedings of the Human Factors Society 33rd annual meeting*, 450-454.

- Knowlton, K. (1975). Virtual Pushbuttons as a Means of Person-Machine Interaction. *Proceedings of the IEEE Conference on Computer Graphics, Pattern Recognition, and Data Structures*. 350-351.
- Knowlton, K. (1977a). Computer Displays Optically Superimposed on Input Devices. *The Bell System Technical Journal*, 56 (3), 367-383.
- Knowlton, K. (1977b). *Prototype for a Flexible Telephone Operator's Console Using Computer Graphics*. 16 mm film, Bell Labs, Murray Hill, NJ.
- Kölsch, M. Turk, M. & T. Höllerer. T. (2004). Vision-based interfaces for mobility. In Proc. MobiQuitous '04 (1st IEEE Int. Conf. on Mobile and Ubiquitous Systems: Networking and Services), 86-94.
- Kobayashi, T. & Haruyama, S. (1997). Partly Hidden Markov Model and its Application to Gesture Recognition, *IEEE Proc. ICASSP97, Vol.VI*, 3081-3084.
- Kohl, R. M., & Shea, C. H. (1992). Pew(1966) revisited: Acquisition of hierarchical control as a function of observational practice. *Journal of Motor Behavior*, 24(3), 247-260.
- Kolers, P.A. (1976). Reading a Year Later, *Journal of Experimental Psychology*, 2, 554 - 565.
- Konneker, L.K. (1984). A Graphical Interaction Technique Which Uses Gestures, *Proceedings of the IEEE First International Conference on Office Automation*, New Orleans, 51 - 55.
- Kramer, A., Wickens, C. & Donchin, E. (1983). An Analysis of the Processing Requirements of a Complex Perceptual-Motor Task, *Human Factors*, 25(6), 597 - 621.
- Kramer. J. (1991). Communication system for deaf, deaf-blind and non-vocal individuals using instrumented gloves. US Patent 5,047,952, Virtual Technologies.
- Kramer, J. & Larry Leifer, L. (1989). The Talking Glove: A speaking aid for non-vocal deaf and deaf-blind individuals. *Proceedings of RESNA 12th Annual Conference*, 471-472.
- Kramer, J. & Larry Leifer, L. (1990). A "Talking Glove" for nonverbal deaf individuals. *Technical Report CDR TR 1990 0312*, Centre For Design Research, Stanford University.
- Krendel, E. S., & McRuer, D. T. (1960). A servomechanism approach to skill development. *Journal of the Franklin Institute*, 269(1), 24-42.
- Kristensson, P.O. (2007). [*Discrete and Continuous Shape Writing for Text Entry and Control*](#). PhD Thesis. Linköping University, Department of Computer and Information Science, Sweden.
- Kristensson, P.O. & Zhai, S. (2004). [*SHARK²: A Large Vocabulary Shorthand Writing System for Pen-based Computers*](#), *Proceedings of the 17th Annual ACM Symposium on User Interface Technology (UIST'04)*, 43-52.
- Kristensson, P.O. & Zhai, S. (2007a). [*Command Strokes with and without Preview: Using Pen Gestures on Keyboard for Command Selection*](#), *Proc. CHI 2007: ACM Conference on Human Factors in Computing Systems*, 1137-1146.
- Kristensson, P.O. & Zhai, S. (2007b). [*Learning Shape Writing by Game Playing*](#) (Interactivity Paper), *CHI 2007: ACM Conference on Human Factors in Computing Systems*, 1971-1976.
- Kristensson, P.O. & Zhai, S. (2008). [*Improving word-recognizers using an interactive lexicon with active and passive words*](#). *Proc ACM Intelligent User Interfaces 2008*, 353-356.
- Kroemer, K.H. (1972). Human Engineering the Keyboard, *Human Factors*, 14(1), 51-63.
- Kroemer, K.H., Fathallah, F. & Langley, L. (1988). A new keyboard with chorded ternary keys, *Proceedings of the Human Factors Society - 32nd Annual Meeting*, 724-726.
- Krueger, Myron, W. (1983). *Artificial Reality*. Reading, MA: Addison-Wesley.
- Krueger, Myron, W. (1991). *Artificial Reality II*. Reading, MA: Addison-Wesley.

- Krueger, Myron, W., Gionfriddo, Thomas & Hinrichsen, Katrin (1985). VIDEOPLACE - An Artificial Reality, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'85)*, 35 - 40.
- Kugler, P., Kelso, J.A.S., & Turvey, M.T. (1982). On the concept of coordinative structures as dissipative structures. In G. Stelmach & J. Requin, (Eds.), *Tutorials in motor behavior*. Amsterdam: North-Holland
- Kuklinski, T. (1984). Components of handprint style variability, *Proceedings of the IEEE 7th International Conference on Pattern Recognition*, 924-926.
- Kuklinski, T. (1985). A Case for Digitizer Tablets, *Computer Graphics World*, May 1985, 45-52.
- Kurokawa, T. (1992). Gesture coding and a gesture dictionary for a nonverbal interface, *IEICE Trans. Fundamentals*, E75-A(2), 112-121.
- Kurtenbach, G. & Buxton, W. (1991a). GEdit: a testbed for editing by contiguous gesture. *SIGCHI Bulletin*, 23(2), 22 - 26.
- Kurtenbach, G. & Buxton, W. (1991b). Integrating mark-up and direct manipulation techniques. *Proceedings of the Fourth ACM SIGGRAPH Symposium on User Interface Technology (UIST'91)*, 137 - 144.
- Kurtenbach, G. & Buxton, W. (1993). The limits of expert performance using hierarchic marking menus *Proceedings of the ACM Conference on Human Factors in Computing Systems (InterCHI'93)*, 482-487.
- Kurtenbach, G. & Buxton, W. (1994). User learning and performance with marking menus. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 258-264.
- Kurtenbach, G., Fitzmaurice, G., Baudel, T. & Buxton, W. (1997). The design and evaluation of a GUI paradigm based on tablets, two-hands, and transparency. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'97)*, 35-42.
- Kurtenbach, G. & Hulstijn, E. (1990). Gestures in Human-Computer Communications. In B. Laurel (Ed.) *The Art of Human Computer Interface Design*. Reading, MA: Addison-Wesley, 309-317.
- Lachnit, H. & Pieper, W. (1990). Speed and accuracy effects of fingers and dexterity in 5-choice reaction tasks, *Ergonomics*, 33(12), 1443-1454.
- Lambert, S. & Ropiequet, S. (Eds.) (1986). *CDROM: The New Papyrus*, Redmond, WA.: Microsoft Press.
- Langolf, G. D., Chaffin, D. B., & Foulke, J. A. (1976). An investigation of Fitts' law using a wide range of movement amplitudes. *Journal of Motor Behavior*, 8(2), 113-128.
- LeBlanc, A., Kalra, P., Thalman, N. & Thalman, D. (1991). Sculpting with the "Balland Mouse" metaphor, *Proceedings of Graphics Interface '91*, 152-159.
- Lee, C. & Xu, Y. (1996). Online, Interactive Learning of Gestures for Human/Robot Interfaces. *1996 IEEE International Conference on Robotics and Automation*, vol. 4, 2982-2987.
- Le Cun, Y., Jackel, L., Boser, B., Denker, J., Graf, H., Guyon, I., Henederson, D., Howard, R. & Hubbard, W. (1989). Handwritten digit recognition: applications of neural network chips and automatic learning. *IEEE Communications Magazine*, 27(11), 41-46.
- Lee, S.K., Buxton, W. & Smith, K.C. (1985). A multi-touch three dimensional touch-sensitive tablet. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'85)*, 21-27.
- Leedham, C., Downton, A., Brooks, C. & Newell, A. (1984), On-line acquisition of Pitman's handwritten shorthand as a means of rapid data entry, In B. Shackel (Ed.), *Human-Computer Interaction - INTERACT '84*, Elsevier Science Publishers B.V. (North-Holland), 151-156.

- Leedham, C.G. & Downton, A.C. (1984). On-line recognition of short-forms in Pitman's handwritten shorthand, *Proceedings of the IEEE International Conference on Pattern Recognition*, 1058-1060.
- Leedham, C.G. & Downton, A.C. (1986). On-line recognition of Pitman's handwritten shorthand: an evaluation of potential, *International Journal of Man-Machine Studies*, 24(4), 375 - 393.
- Leganchuk, A., Zhai, S. & Buxton, W. (1998). Manual and Cognitive Benefits of Two-Handed Input: An Experimental Study. *ACM Transactions on Human-Computer Interaction*, 5(4), 326-359.
- Leggett, J. & Williams, G. (1984). An Empirical Investigation of Voice as an Input Modality for Computer Programming. *Intl. J. Man-Machine Studies*, 21, 493-520.
- Legrand, J. (2008). Among the Jostling crowd: Livermore's Permutation Typograph. *ETCetera Journal of the Early Typewriter Collector's Association*, 81(March), 3-5.
- Lemke, H.U., Cheney, C.J., Etherton, M. & Wiseman, N.E. (1971). Rainbow: an integrated CAD system. *DAC '71: Proceedings of the 8th Design Automation Workshop*. NY: ACM, 298.¹
- Lemke, H. U. (1972). *Interactive Graphics in an Integrated CAD System*. PhD Thesis, University of Cambridge.
- Levine, S.R. & Ehrlich, S.F. (1991). The Freestyle system: a design perspective. In A. Klinger (Ed.). *Human-Machine Interactive Systems*. New York: Plenum Press, 3-21.
- Lewis, J.R. & Alfonso, P. (1987). Developing the IBM Personal System/2 mouse: an industrial design/human factors collaboration, *Proceedings of INTERFACE '87, Human Implications of Product Design*, May 13-15, Rochester, N.Y., 263-267.
- Lincoln, R. S. (1953). Visual tracking: III. The instrumental dimension of motion in relation to tracking accuracy. *Journal of Applied Psychology*, 37, 489-493.
- Lincoln, R. S., & Smith, K. U. (1950). Transfer of training in tracking performance at different target speeds. *Journal of Applied Psychology*, 35, 358-362.
- Lindsay, P. & Norman, D. (1977). *Human Information Processing: an Introduction to Psychology*, (2nd. ed.), New York: Academic Press.
- Lintern, G. (1991). An informal perspective on skill transfer in human-machine systems, *Human Factors*, 33(3), 251-266.
- Lippman, Andrew (1980). Movie-maps: an application of the optical videodisc to computer graphics, *Computer Graphics* 14(3), 32 - 42.
- Lippman, A. & Negroponte, N. (1979). *Graphical input techniques*. Technical Report, Architecture Machine Group, MIT.
- Lipscomb, J. (1991). *A trainable gesture recognizer*. Technical Report RC 16448 (#73078) 1/17/91, Yorktown Heights, N.Y.: IBM.
- Lipscomb, J. & Pique, M. (1986). Analog input device physical characteristics. *SIGCHI Bulletin*, 25(3), 40-45.
- Litvin, Y. (1982). *Principles of evaluation for handwritten and cursive text recognition methods*. Technical Report TN-82-401.1, GTE Laboratories Inc., 40 Sylvan Road, Waltham, MA 02254.
- Logitech (1991). *2D/6D Mouse technical reference manual*. Fremont, CA 94555: Logitech Inc.
- Lyons, K, Starnes, T., Plaisted, D., Fusia, J., Lyons, A, Drew, A., Looney, E.W. (2004a). Twiddler Typing: One-Handed Chording Text Entry for Mobile Phones *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'04)*, 671-678.

¹ Note: This paper was not received by the conference on time for anything but the abstract to appear in the proceedings.

- Lyons, K., Starner, T. & Plaisted, D. (2004b). Expert Typing Using the Twiddler One Handed Chord Keyboard. *IEEE International Symposium on Wearable Computers*, 94-101.
- Mac Aogáin & Reilly, R. (1990). Discourse theory and interface design: The case of pointing with the mouse. *International Journal of Man-Machine Studies*, 32, 591-602.
- MacKenzie, C.L. & Iberall, T. (1994). *The Grasping Hand*. Amsterdam: North-Holland.
- MacKenzie, I.S. (1989). A note on the information-theoretic basis for Fitts' law, *Journal of Motor Behavior*, 21(3), 323-330.
- MacKenzie, I.S. (1991). *Fitts' Law as a performance model in human-computer interaction*, Ph.D. Thesis, Ontario Institute for Studies in Education, University of Toronto.
- MacKenzie, I.S. (1992). Fitts' law as a research and design tool in human-computer interaction. *Human Computer Interaction*, 7(1), 91-139.
- MacKenzie, I.S. (1992). Movement time prediction in human-computer interfaces. *Proceedings of Graphics Interface '92*, 140-150.
- MacKenzie, I.S. (1995). Input devices and interaction techniques for advanced computing. In W. Barfield, & T. A. Furness III (Eds.), *Virtual environments and advanced interface design*, Oxford, UK: Oxford University Press, 437-470.
- MacKenzie, I.S. & Buxton, W. (1992). Extending Fitts' law to two-dimensional tasks. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'92)*, 219-226.
- MacKenzie, I. S., & Castellucci, S. J. (2012). Reducing visual demand for gestural text input on touchscreen devices. *Extended Abstracts of the ACM SIGCHI Conference on Human Factors in Computing Systems - CHI 2012*, 2585-2590.
- MacKenzie, I.S., Nonnecke, B., McQueen, C., Riddersma, S., & Meltz, M. (1994). A comparison of three methods of character entry on pen-based computers. *Proceedings of the Human Factors and Ergonomics Society 38th Annual Meeting*, 330-334.
- MacKenzie, I.S., Nonnecke, B., Riddersma, S., McQueen, C., & Meltz, M. (1994). Alphanumeric entry on pen-based computers. *International Journal of Human-Computer Studies*, 41, 775-792.
- MacKenzie, I.S., & Oniszczak, A. (1998). A comparison of three selection techniques for touchpads *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'98)*, 336-343
- MacKenzie, I.S., Sellen, A. & Buxton, W. (1991). A comparison of input devices in elemental pointing and dragging tasks. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 161-166.
- MacKenzie, I.S. & Ware, C. (1993). Lag as a determinant of human performance in interactive systems. *Proceedings of the ACM Conference on Human Factors in Computing Systems (InterCHI'93)*, 488-493.
- MacKenzie, I. S. & Yanaka-Ishii, K (2007). *Text Entry Systems: Mobility, Accessibility, Universality*. San Francisco: Morgan Kaufmann.
- MacKenzie, I.S., & Zhang, S.X. (1997). The immediate usability of Graffiti. *Proceedings of Graphics Interface '97*, 129-137.
- MacKenzie, I.S., Zhang, S.X. & Soukoreff, R.W. (1997). Text entry using soft keyboards. *Behaviour & Information Technology*, 18, 235-244.
- Mackinlay, J. D., Card, S. & Robertson, G. G. (1990). Rapid controlled movement through a virtual 3D workspace. *Computer Graphics* 24(3), Proceedings of SIGGRAPH '90, 171-176.
- Mackinlay, J. D., Robertson, G. G. & Card, S. (1990). Rapid controlled movement through virtual 3D workspaces. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 455-456.

- Mackinlay, J. D., Card, S. & Robertson, G. G. (1990). A semantic analysis of the design space of input devices. *Human-Computer Interaction*, 5(2 & 3), 145-190.
- Magel, M. (1993). A few pointers on touchscreen technology, *A/V Video*, 15(1), 64-71.
- Maglio, P. P. (1995). *The computational basis of interactive skill*. Doctoral dissertation, University of California, San Diego.
- Maglio, P.P. & Kirsh, D. (1996). Epistemic action increases with skill. *Proceedings of the eighteenth annual conference of the cognitive science society*, Mahwah, NJ: Erlbaum, 391-396.
- Maglio, P.P. & Wenger, M.J. (2000). Two views are better than one: Epistemic actions may prime. *Proceedings of the Twenty-second Annual Conference of the Cognitive Science Society*, 818-822.
- Maglio, P.P., Wenger, M.J. & Copeland, A.M. (2003). The benefits of epistemic action outweigh the costs. *Proceedings of the 25th annual conference of the Cognitive Science Society*, 752-757.
- Maglio, P.P., Wenger, M.J. & Copeland, A.M. (2008). Evidence for the role of self-priming in epistemic action: Expertise and the effective use of memory. *Acta Psychologica*, 127(1), 72-88.
- Mahach, K.R. (1989). A comparison of computer input devices: Linus pen, mouse, cursor keys and keyboard, *Proceedings of the 33rd Annual Meeting of the Human Factors Society*, 330-333.
- Mai, T. & Suen, C. (1990). A generalized knowledge-based system for the recognition of unconstrained handwritten numerals, *IEEE Transactions on Systems, Man and Cybernetics*, 20(4), 835-848.
- Majaranta, P. & R  ih  , K. (2002). Twenty Years of Eye Typing: Systems and Design Issues. *Proceedings of ETRA 2002, Eye Tracking Research and Applications Symposium 2002*, ACM Press, 15-22.
- Makkuni, R. (1986). Representing the process of composing Chinese temples, *Design Computing*, 1, 216-235.
- Mapes, D.P., & Moshell, J. (1995). A two-handed interface for object manipulation in virtual environments. *Presence*, 4(4): 403-416.
- Martin, G.L. (1989). The Utility of Speech Input in User-Computing Interfaces. *Intl. J. Man-Machine Studies*, 30, 355-375
- Martin, G.L. & Pittman, J.A. (1989). *Pattern recognition as emergent computation*, MCC Technical Report ACT-HI-257-89, Austin Texas: Microelectronics and Computer Technology Corp.
- Martin, J. (1980). *A literature review of chord keyboard research*. HUSAT Memo 202, Dept. of Human Sciences, Loughborough University of Technology.
- Martin, J. & Crowley, J. (19XX). An Appearance-Based Approach to Gesture-Recognition. **XXX**
- Massimino, M. J., & Sheridan, T. B. (1993). Sensory substitution for force feedback in teleoperation. *Presence-Teleoperators and Virtual Environments*, 2(4), 344-352.
- Massie, T. (1998). A tangible goal for 3D modeling. *IEEE Computer Graphics and Applications*, 18(3), May/June 1988, 62-65.
- Massimino, M. J., Sheridan, T. B., & Roseborough, J. B. (1989). One hand tracking in six degree of freedom. *Proceedings of IEEE International Conference on Systems, Man, and Cybernetics*, 498-503.

- Matthews, P. B. C. (1981). Muscle spindles: their messages and their fusimotor supply. In V. B. Brooks (Eds.), *Handbook of Physiology, Section 1: The Nervous System, Part 1: Motor Control*, Bethesda, Maryland: American Physiological Society.
- Matthews, P. B. C. (1988). Proprioceptors and their contributions to somatosensory mapping: complex messages require complex processing. *Canadian Journal of Physiology and Pharmacology*, 66, 430-438.
- Matias, Edgar, MacKenzie, I. Scott & Buxton, William (1993), Half-QWERTY: A one-handed keyboard facilitating skill transfer from QWERTY. *Proceedings of the ACM Conference on Human Factors in Computing Systems (InterCHI'93)*, 88-94.
- McAllister, D. F. (Ed.). (1993). *Stereo computer graphics and other true 3D technologies*. Princeton, New Jersey: Princeton University Press.
- McAvinney, P. (1986). The Sensor Frame - A Gesture-Based Device for the Manipulation of Graphic Objects. Carnegie-Mellon University,
- McAvinney, P. (1990). Telltale gestures, *Byte* 15(7), 237-240.
- McCann, C.A., Taylor, M.M. & Tuori, M.I. (XXXX). ISIS: the interactive spatial information system, *International Journal of Man-Machine Studies*, XX-XX.
- McClelland, D. (1990). Developments in touchscreen technology. *Displays Technology and Applications*, 11(2), 93-95.
- McCloskey, D. I. (1978). Kinesthetic Sensibility. *Physiological Review*, 58(4), 763-813.
- McGrath, R. (1985), PC Focus: TurboPuck, a precision pointing device, *Computer Graphics World*, August 1985, 45-48.
- McGreevy, M. (1989). Personal simulators and planetary exploration. Unpublished manuscript. Transcription of keynote speech delivered at CHI '89. NASA Ames Research Centre.
- McKinnon, G. M., King, M., & Runnings, D. W. (1987). Co-ordinated control of multi-axis tasks. *Proceedings of IEEE International Conference on Robotics and Automation*, 3, 1767-1770.
- McKinnon, M., & King, M. (1988). Manual control of telemanipulators. *Proceedings of International Symposium Teleoperation and Control*. Berlin: Springer-Verlag., 263-276
- McMulkin, M. (1992). Description and prediction of long-term learning of a keyboard task. *Proceedings of the Human Factors Society 36th Annual Meeting*, 276-280.
- McNeill, D. (1985) So you think gestures are nonverbal? *Psychological Review*. 92, 350-371.
- McNeill, D. (1992). *Hand and Mind: What Gestures Reveal About Thought*. Chicago: University of Chicago Press.
- McNeill, D. (2005). *Gesture & Thought*. Chicago: University of Chicago Press.
- McRoy, S., Haller, S., Ali, S. Uniform Knowledge Representation for NLP in the B2 system. *Journal of Natural Language Engineering*, 3(2), XX-XX..
- Mehr, M.H. (1973). Two-axis manual positioning and tracking controls, *Applied Ergonomics* 4(3), 154-157.
- Mehr, M.H. & Mehr, E. (1972). Manual digital positioning in 2 axes: a comparison of joystick and track ball controls. *Proceedings of the 16th Annual Meeting of the Human Factors Society*, 110-116.
- Mercurio, P. & Erickson, T. (1990). Interactive scientific visualization: an assessment of a virtual reality system. In D. Diaper et al. (Eds), *Human-Computer Interaction - INTERACT '90*, Elsevier Science Publishers B.V. (North-Holland), 741-745.
- Metha, Nimish (1982), "A Flexible Machine Interface", M.A.Sc. Thesis, Department of Electrical Engineering, University of Toronto.

- Meyer, A. (1995). Pen computing: A technology overview and a vision. *SIGCHI Bulletin*, 27(3), 46-90.
- Meyer, D. E., Smith, J. E. K., Kornblum, S., Abrams, R. A., & Wright, C. E. (1990). Speed-accuracy tradeoffs in aimed movements: Toward a theory of rapid voluntary action. In M. Jeannerod (Ed.), *Attention and performance XIII* (pp. 173-226). Hillsdale, NJ: Erlbaum.
- Michelitsch, G., Williams, J., Osen, M., Jimenez, B. and Rapp, S. (2004). Haptic Chameleon: A New Concept of Shape-Changing User Interface Controls with Force Feedback. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'04)*, 1305-1308.
- Milgram, P., Rastogi, A., & Grodski, J.J. (1995). Telerobotic Control Using Augmented Reality. *Proceedings of RO-MAN'95 - 4th International Workshop on Robot and Human Communication*, Tokyo, Japan.
- Miller, G.A. (1956). The Magic Number Seven, Plus or Minus Two: Some Limits on our Capacity for Processing Information, *Psychological Review*, 63, 81 - 97.
- Miller, G.M. (1969). On-line recognition of hand-generated symbols, *Proceedings of the Fall Joint Computer Conference*, 399-412.
- Milner, N. (1988). A review of human performance and preferences with different input devices to computer systems. In D. Jones & R. Winder (Eds.). *People and Computers IV, Proceedings of the Fourth Conference of the British Computer Society Human-Computer Interaction Specialist Group*. Cambridge: Cambridge University Press, 341-362.
- Minneman, S.L. & Bly, S.A. (1991). Managing à trois: a study of a multi-user drawing tool in distributed design work. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 217- 224.
- Minsky, M. (1984). Manipulating Simulated Objects with Real-World Gestures Using a Force and Position Sensitive Screen, *Computer Graphics*, 18(3), 195-203.
- Minsky, M., Brooks, F., Behensky, M., Milliken, D., Russo, M. & Druin A. (1989). Recent progress creating environments with the sense of feel: giving "look and feel" its missing meaning. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'89)*, 189-190.
- Minson, J. (1989). Shake up in the console. *The Guardian*, Thursday January 26, 1989.
- Montgomery, E. (1982). Bringing Manual Input into the 20th Century, *IEEE Computer*, 15 (3), 11-18. See also follow-up letters in the May and, June & October 1982 issues.
- Moran, T.P. (1981). Guest Editor's Introduction: An Applied Psychology of the User, *Computer Surveys*, 13(1), 1 - 11.
- Moran, T. P., Chiu, P., van Melle, W., Kurtenbach, G. (1995). Implicit structures for pen-based systems within a freeform interaction paradigm. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'95)*, 487-494.
- Moray, N. (1977). *Work and Measurement*, New York: Plenum.
- Morita, H., Hashimoto, S. & Ohteru, S. (1991). A computer music system that follows a human conductor. *IEEE Computer*, 24(7), 44-53.
- Morrel-Samuels, P. (1990). Clarifying the distinction between lexical and gestural commands. *International Journal of Man-Machine Studies*, 32, 581-590.
- Morris, D. (1994). *Bodytalk: The Meaning of Human Gestures*. New York: Crown Publishers.
- Morris, D., Collett, P., Marsh, P. & O'Shaughnessy, M. (1979). *Gestures*. New York: Stein and Day.
- Mosher, C.E., Sherouse, G.W., Mills, P.H., Novins, K.L., Pizer, S.M., Rosenman, J.G. & Chaney, E.L. (1986). The virtual simulator. *Proceedings of the 1986 Workshop on Interactive 3D Graphics*, 37-42.

- Mottet, D., Guiard, Y., Ferrand, T. & Bootsma, R. (2001). Two-Handed Performance of a Rhythmic Fitts Task by Individuals and Dyads. *Journal of Experimental Psychology: Human Perception and Performance*, 27(6), 1275-1286.
- Mulder, A. (1996). Hand Gestures for HCI. *Hand Centered Studies of Human Movement Project Technical Report 96-1* School of Kinesiology, Simon Fraser University.
- Mountford, S.J. (1986). *A methodology for selecting candidate voice technology tasks*. Unpublished manuscript. Presented at the ACM SIGCHI Workshop on Mixed Modes of Interaction, Key West, Florida, December 1986.
- Munhall, K & Ostry, D. (1983). Mirror-Image Movements in Typing. In W.E. Cooper (Ed.) *Cognitive Aspects of Skilled Typewriting*, 247-257.
- Munson, J.H. (1968). Experiments in the Recognition of Hand-Printed Text, I: Character Recognition, *Fall Joint Computer Conference*, 1125.
- Murakami, K. & Taguchi, H. (1991). Gesture recognition using recurrent neural networks *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 237-242.
- Murakami, T. & Nakajima, N. (1994). Direct and intuitive input device for 3-D shape deformation. *Proceedings of CHI '94*, (Boston, MA.). New York: ACM Press, 452-458.
- Muratore, D.A. (1987). *Human performance aspects of cursor control devices*. Working paper 6321. Houston, Texas: MITRE Corp.
- Murphy, R.A. (1986). *Evaluation of methods of touch screen implementation for interactive computer displays*. Baltimore, Maryland: Westinghouse Electric Corp.
- Myers, B. (1984). The User Interface for Sapphire. *IEEE Computer Graphics and Applications*, 4(12), 13 - 23.
- Mynatt, E. D., Igarashi, T., Edwards, W. K., and LaMarca, A. (2000). Designing an Augmented Writing Surface. *IEEE Computer Graphics Applications*, 20(4), 55-61.
- Nabeshima, S., Yamamoto, S., Agusa, K. & Taguchi, T. (1995). MEMO-PEN: a new input device. *CHI'95 Conference Companion*, 256-257.
- Nag, R., Wong, K.H. & Fallside, F. (1986). Script recognition using hidden Markov models, *Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing*, 2071-2074.
- Nakagawa, M. (1990). Non-keyboard input of Japanese text: On-line recognition of characters as the most helpful approach. *Journal of Information Processing*, 13(1), 15-34.
- Nakatani, L.H. & O'Conner, K. (1980). Speech feedback for touch-keying, *Ergonomics*, 23(7), 643-654.
- Nakatani, L. H. & Rohrlich, John A. (1983). Soft Machines: A Philosophy of User-Computer Interface Design. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'83)*, 12-15.
- Nantais, T., Shein, F. & Treviarius, J. (1994). A Predictive Selection Technique for Single-Digit Typing With a Visual Keyboard. *IEEE Transactions on Rehabilitation Engineering*, 2(3), 130-136.
- Navon, D., Gopher, D., Chillag, N. & Spitz, G. (1984). On separability of and interference between tracking dimensions in dual-axis tracking. *Journal of Motor Behavior*, 16(4), 364-391.
- Negroponte, Nicholas (1970). *Architect-Machine Symbiosis, in The Architecture Machine*, Cambridge: MIT Press, 8 - 15.
- Neves, D.M. & Anderson, J.R. (1981). Knowledge Compilation: Mechanisms for the Automatization of Cognitive Skills. In J. R. Anderson (Ed.), *Cognitive Skills and their Acquisition*, Hillsdale, N.J.: Lawrence Erlbaum Associates, 57-84.

- Newell A., & Card, S.K. (1985). The Prospects for psychological science in human-computer interaction. *Human-Computer Interaction*, 1, 209-242.
- Newell, A. & Rosenbloom, P.S. (1981). Mechanisms of Skill Acquisition and the Law of Practice. In J. R. Anderson (Ed.), *Cognitive Skills and their Acquisition*, Hillsdale, N.J.: Lawrence Erlbaum Associates, 1-55.
- Newell, A.F., Arnott, J.L., Dye, R. & Cairns, A.Y. (1991). A full-speed listening typewriter simulation. *International Journal of Man-Machine Studies*, 35(2), 119-131.
- Newman, W.M. (1968a). A Graphical Technique for Numerical Input, *Computing Journal*, 11, 63-64.
- Newman, W.M. (1968b). A System for Interactive Graphical Programming. *Proceedings of the AFIPS Spring Joint Computer Conference*, 47-54.
- Newman, W.M. (1986). *Designing integrated systems for the office environment*. New York: McGraw Hill.
- Newman, W.M. & Sproull, R. (1973). *Principles of Interactive Computer Graphics*, 1st ed., New York: McGraw Hill.
- Newman, W.M. & Sproull, R. (1979). *Principles of Interactive Computer Graphics*, 2nd ed., New York: McGraw Hill.
- NewO (1978). *The Writehander Manual*, The NewO Company, 246 Walter Hayes Drive, Palo Alto, CA 94303.
- Nielson, G.M. & Olsen, D.R. (1986). Direct manipulation techniques for 3D objects using 2D locator devices. *Proceedings of the 1986 Workshop on Interactive 3D Graphics*, ACM SIGGRAPH, 175-182.
- Nova, N. & Bolli, L (2013). *Joypads! Le Design des manettes*. Lyon: Les Moutons Électriques, Éditeur. English edition published in 2014 as: *Joypads! The Design of Game Controllers*. North Charleston, SC: CreateSpace Independent Publishing Platform.
- Norman, D.A. (1982). *Learning and Memory*, New York: W.H. Freeman.
- Norman, D. A. (1983). Some Observations on Mental Models. In D. Gentner & A.L. Stevens (Eds.), *Mental Models*, Hillsdale, N.J.: Lawrence Erlbaum Associates, 7-14.
- Norman, D.A. (1986). Cognitive Engineering, in D.A. Norman & S.W. Draper (Eds.) *User Centered Systems Design*, Hillsdale, N.J.: Lawrence Erlbaum Associates, 31-61.
- Norman, D.A. (1988). *The psychology of everyday things*. New York: Basic Books Inc.
- Norman, D. & Bobrow, D. (1975). On Data-Limited and Resource Limited Processes, *Cognitive Psychology*, 7, 44 - 64.
- Norman, D.A. & Draper, S.W. (Eds.)(1988). *User Centered Systems Design*, Hillsdale, N.J.: Lawrence Erlbaum Associates.
- Norman D.A. & Fisher, D. (1982). Why Alphabetic Keyboards are not Easy to Use: Keyboard Layout Doesn't Much Matter, *Human Factors* 24(5), 509-519.
- Norman, D. & Rumelhart, D. (1983). Studies of typing from the LNR research group. In W.E. Cooper (Ed.), *Cognitive Aspects of Skilled Typewriting*, Berlin: Springer-Verlag, 45-65.
- Normile, D. & Johnson, J.T. (1990). [Computers Without Keys](#). *Popular Science*. 237(2) August, 66-69.
- Notterman, J. M., & Page, D. E. (1962). Evaluation of mathematically equivalent tracking systems. *Perceptual and Motor Skills*, 15, 683-716.
- Notterman, J. M., & Tufano, D. R. (1980). Variables influencing outflow-inflow interpretation of tracking performance: predictability of target motion, transfer function, and practice. *Journal of Experimental Psychology: Human Perception and Performance*, 6, 85-89.

- Notterman, J. M., & Weitzman, D. O. (1981). Organization and learning of visual-motor information during different orders of limb movement: step, velocity and acceleration. *Journal of Experimental Psychology: Human Perception and Performance*, 7(4), 916-927.
- Noyes, J. (1983a). The QWERTY keyboard: a review, *International Journal of Man-Machine Studies*, 18, 265-281.
- Noyes, J. (1983b). Chord keyboards, *Applied Ergonomics* 14(1), 55-59.
- Nugent, W.R. & Buckland, L.F. (1967). MOSAIC - the improved editing of scientific text by handdrawn commands and data: a technique for RAND tablet and CRT display. *Third Quarterly Report*, Inforonics, Cambridge Mass.
- O'Hara, J. (1987). Telerobotic control of a dextrous manipulator using master and six-DOF hand controllers for space assembly and servicing tasks. *Proceedings of Human Factors Society 31st Annual Meeting*, 791-795.
- Ohno, K, Fukaya, K. & Nievergelt, J. (1985). A five-key mouse with built-in dialogue control, *SIGCHI Bulletin*, 17(1), 29-34.
- Oldfield, R. C. (1971). The assessment and analysis of handedness: The Edinburgh inventory. *Neuropsychologia*, 9, 97-113.
- Olson, D.R. (1970). Language and Thought: Aspects of a Cognitive Theory of Semantics. *Psychological Review*, 77(6), 257-273.
- Orlansky, J. (1949). Psychological aspects of stick and rudder controls in aircraft. *Aeronautical Engineering Review* (January), 22-31.
- Orr, N.W. & Hopkins, V.D. (1968). The Role of Touch Display in Air Traffic Control. *The Controller*, 7, 7-9.
- Overbeeke, C. J., & Stratmann, M. H. (1988) *Space through movement*. Ph.D. Thesis, Delft University of Technology.
- Oviatt, S. (1996). Multimodal Interfaces for Dynamic Interactive Maps, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'96)*, 95-102.
- Owen, Sid (1978). QWERTY is obsolete. *Interface Age*, January 1978, 56-59.
- Paley, W.B. (1998). Designing Special-Purpose Input Devices, *Computer Graphics*, 32(4), 55-59.
- Panati, C. (1984). *Panati's Browser's Book of Beginnings*. Boston: Houghton Mifflin Co.
- Pandzic, I. S., Kalra, P., Magnenant Thalmann, N. & Thalmann, D. (1994). Real time facial interaction, *Displays*, 15(3), 157-163.
- Pang, X. D., Tan, H. Z., & Durlach, N. I. (1991). Manual discrimination of force using active finger motion. *Perception & Psychophysics*, 49(6), 531-540.
- Parmg, K.A. & Ellingstad, V.S. (1987). Touch tablet and touch input, *Proceedings of INTERFACE '87, Human Implications of Product Design*, May 13-15, Rochester, N.Y., 327-336.
- Pausch, R. (1991). Virtual reality on five dollars a day. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 265-270.
- Pausch, R. & Williams, R. (1992). Giving CANDY to children: user-tailored gesture input driving an articulator-based speech synthesizer. *Communications of the ACM*, 35(5), 58-66.
- Pavlovic, V., Sharma, R., Huang, T. (1997). Visual Interpretation of Hand Gestures for Human-Computer Interaction: A Review. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(7), 677-695.
- Payne, S.J. & Green, T.R.G. (1983), The User's Perception of the Interaction Language: A Two-Level Model, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'83)*, 202 - 206.

- Peacocke, R.D. & Graf, D.H. (1990). An Introduction to Speech and Speaker Recognition. *IEEE Computer*, 23(8), 26-33.
- Pearson, G. & Weiser, M. (1988). Exploratory evaluation of a planar foot-operated cursor-positioning device. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'88)*, 13-18.
- Pedersen, E., McCall, K., Moran, T. & Halasz, F. (1993). Tivoli: an electronic whiteboards for informal workgroup meetings, *Proceedings of the ACM Conference on Human Factors in Computing Systems (InterCHI'93)*, 391-398.
- Penna, D.E. (1984). The use of a colour graphics display and touch screen to help naive users understand and control a multi-function computer system, In B. Shackel (Ed.), *Human-Computer Interaction - INTERACT '84*, Elsevier Science Publishers B.V. (North-Holland), 795-799.
- Perkins, R., Blatt, L., Workman, D. & Ehrlich, S. (1989). Iterative tutorial design in the product development cycle. *Proceedings of the Human Factors Society 33rd Annual Meeting*, 268-272.
- Perlin, K. (1998). Quikwriting: continuous stylus-based text entry. *Proceedings of the ACM SIGGRAPH Symposium on User Interface Software (UIST'98)*, 215-216
- Perry, T. & Voelcker, J. (1989). Of mice and menus: designing the user-friendly interface. *IEEE Spectrum*, 26(9), 46-51.
- Peters, M. (1981). Attentional asymmetries during concurrent bimanual performance, *Quarterly Journal of Experimental Psychology*, 33A, 95-103.
- Peters, M. (1985). Constraints in performance of bimanual tasks and their expression in unskilled and skilled subjects, *The Quarterly Journal of Experimental Psychology*, 37A, 171-196.
- Pew, R. W. (1966). Acquisition of hierarchical control over the temporal organization of a skill. *Journal of Experimental Psychology*, 71(5), 764-771.
- Pew, R. W. (1976). More than most psychologists will want to know about tracking research. *Contemporary Psychology*, 21(4), 281.
- Pew, R. W., Duffendack, J. C., & Fensch, L. K. (1967). Sine-wave tracking revisited. *IEEE Transaction on Human Factors in Electronics*, 8(2), 130-134.
- Pfauth, M. & Priest, J. (1981). Person-computer interface using touch screen devices, *Proceedings of the Human Factors Society 25th Annual Meeting*, 500-504.
- Philips, C. & Badler, N. (1988). Jack: a toolkit for manipulating articulated figures, *Proceedings of the ACM SIGGRAPH Symposium on User Interface Software (UIST'88)*, 221-229.
- Pickering, J.A. (1986). Touch-sensitive screens: the technologies and their applications, *International Journal of Man-Machine Studies*, 25(3), 249-269.
- Pitrella, F. D., & Kruger, W. (1983). Design and validation of matching tests to form equal groups for tracking experiments. *Ergonomics*, 26(9), 833-845.
- Pittman, J.A. (1991). Recognizing handwritten text. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 271-275.
- Plamondon, R., Suen, C.Y. & Simner, M.L. (Eds.)(1989). *Computer recognition and human production of handwriting*. Teaneck, N.J.: World Scientific Publishing Co. Inc.
- Pollard, D. & Cooper, M.B. (1979). The effect of feedback on keying performance. *Applied Ergonomics*, 10(4), 194-200.
- Polson, P. & Kieras, D. (1985). A Quantitative Model of the Learning and Performance of Text Editing Knowledge, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'85)*, 207 - 212.

- Polson, P., Muncher, E. & Engelbeck, G. (1986). A Test of Common Elements Theory of Transfer, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'86)*, 78-83.
- Poock, G.K. (1982). Voice Recognition Boosts Command Terminal Throughput. *Speech Technology*, 1, 36-39
- Poon, A., Weber, K. & Cass, T. (1995). Scribbler: A tool for searching digital ink. *CHI'95 Conference Companion*, 252-253.
- Potosnak, K.M. (1988). Keys and Keyboards. In Helander, M. (Ed.). *Handbook of HCI*. Amsterdam: North-Holland, 475-494.
- Potter, R., Berman, M. & Shneiderman, B. (1989). An experimental evaluation of three touch screen strategies within a hypertext database, *International Journal of Human-Computer Interaction* 1(1), 41-52.
- Potter, R., Shneiderman, B. & Weldon, L. (1988). Improving the accuracy of touch screens: an experimental evaluation of three strategies. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'88)*, 27-32.
- Poulton, E. C. (1966). Unwanted asymmetrical transfer effects with balanced experimental designs. *Psychological Bulletin*, 66(1), 1-8.
- Poulton, E. C. (1969). Bias in experimental comparisons between equipments due to the order of testing. *Ergonomics*, 12(4), 675-687.
- Poulton, E. C. (1973). Unwanted range effects from using within-subject experimental designs. *Psychological Bulletin*, 80(2), 113-121.
- Poulton, E. C. (1974). *Tracking skill and manual control*. New York: Academic Press.
- Poulton, E. C. (1989). *Bias in Quantifying Judgments*. Hove and London: Lawrence Erlbaum Associates.
- Poupyrev, I., Tan, D.S., Billingham, M., Kato, H., Regenbrecht, H., Tetsutani, N. (2002). Developing a Generic Augmented-Reality Interface. *IEEE Computer* 35(3), March 2002, 44-50.
- Price, L.A. & Cordova, C.A. (1983). Use of mouse buttons, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'83)*, 262-266.
- Pulfer, K. (1971). Man-machine interaction in creative applications, *International Journal of Man-Machine Studies*, 3, 1-11.
- Quam, D., Williams, G., Agnew, J. & Brown, P. (1989). An experimental determination of hand accuracy with a DataGlove, *Proceedings of the Human Factors Society*, Vol. 1, 315-319.
- Rae-Grant, T., Harrison, C. & Shultz, C. (2024). DynaButtons: Fast Interactive Soft Buttons with Analog Control. *Proceedings of the 2024 IEEE Haptics Symposium*, 266-371. DOI: 10.1109/HAPTICS59260.2024.1052086. Video: [DynaButtons: Fast Interactive Soft Buttons with Analog Control \(IEEE HAPTICS 2024\) \(youtube.com\)](https://www.youtube.com/watch?v=...)
- Raffel, J.I. (1966). *Graphics: Semiannual Technical Summary Report to the Advanced Research Projects Agency*. Prepared under Electronic Systems Division Contract AF 19(628)-5167 by Lincoln Laboratory, MIT. <http://www.dtic.mil/cgi-bin/GetTRDoc?Location=U2&doc=GetTRDoc.pdf&AD=AD0634251>
- Raisamo, R. & Raiha, K. (1996). Techniques for aligning objects in drawing programs. *Proceedings of UIST'96*, 157-164.
- Raskin, J. (2000). *The human interface: New directions for designing interactive systems*. Boston: Addison-Wesley.
- Ray, H. & Kroll, A. (1981). *A study of interaction using menu-driven systems*. Toronto: unpublished manuscript, Computer Systems Research Group.

- Ramstein, C., & Hayward, V. (1994). The PANTOGRAPH: a large workspace haptic device for a multi-modal human computer interaction. *Conference Companion of CHI'94: ACM Conference on Human Factors in Computing Systems*, 57-58.
- Rasmussen, J. (1976). Outlines of a hybrid model of the process plant operator. In T. B. Sheridan, & G. Johanssen (Eds.), *Monitoring Behaviour and Supervisory Control*. New York: Plenum Publishing Corporation. 371-384.
- Rasmussen, J. (1983). Skills, Rules, and Knowledge; Signals, Signs, and Symbols, and Other Distinctions in Human Performance Models, *IEEE Transactions on Systems, Man and Cybernetics*, 13(3), 257 - 266.
- Rasmussen, J. (1986). *Information Processing and Human-Machine Interaction: an Approach to Cognitive Engineering*, Amsterdam: North Holland Publishing.
- Reed, E.S., An outline of a theory of action systems. *Journal of Motor Behavior*, 14, 98-134.
- Reinhardt, A. (1991). Touch-and-feel interfaces. *Byte*, 16(2), 223-226.
- Reisner, P. (1981). Formal grammar and human factors design of an interactive graphics system, *IEEE Transactions on Software Engineering*, 7 (2), 229-240.
- Renard, C. (1982). *Le Geste Musical*. Paris: Hachette / Van de Velde.
- Rekimoto, J. (1995). A vision-based head tracker for fish tank virtual reality - VR without head gear, *IEEE Virtual Reality Annual International Symposium (VRAIS) '95*, 94-100.
- Rekimoto, Jun (2002). SmartSkin: An Infrastructure of Freehand Manipulation on Interactive Surfaces. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI'02*, 113-120.
- Ressler, S. (1982). An object editor for a real time animation processor, *Proceedings of Graphics Interface '82*, 221-223.
- Ressler, S. (1987). The incrementor: a graphical technique for manipulating parameters, *ACM Transactions on Graphics*, 6(1), 74-78.
- Rhyne, J.R.(1987). Dialogue management for gestural interfaces. *Computer Graphics* 21(2), 137-142.
- Rhyne, J.R. & Wolf, C.G. (1986). *Gestural interfaces for information processing applications*, Computer Science Technical Report RC 12179, IBM T.J. Watson Research Center, Distribution Services 73-F11, P.O. Box 218, Yorktown Heights, N.Y.
- Rice, J. R., Yorchak, J. P., & Hartley, C. S. (1986). Capture of satellites having rotational motion. *Proceedings of Human Factors Society 30th Annual Meeting*, 870-874.
- Richie, G.J. & Turner, J.A. (1975). Input devices for interactive graphics, *International Journal of Man-Machine Studies*, 7, 639-660.
- Rime, B. (1982) The elimination of visible behaviour from social interactions: Effects on verbal, nonverbal and interpersonal variables. *European Journal of Social Psychology* 12: 113-29.
- Roberts, L.G. (1966). The Lincoln Wand. *Proceedings of the AFIPS Fall Joint Computer Conference*, 223-227.
- Roberts, M. & Rahbari, H. (1986). A multi-purpose system for alpha-numeric input to computers via a reduced keyboard. *International Journal of Man-Machine Studies*, 24, 659-667.
- Robertson, G. G., Card, S. K. & Mackinlay, J. D. (1989). The cognitive coprocessor architecture of interactive user interfaces. *Proceedings of the ACM SIGGRAPH Symposium on User Interface Software and Technology (UIST'89)*, 10-18.
- Robertson, G. G., Mackinlay, J. D., & Card, S. K. (1991). Cone trees: animated 3D visualizations of hierarchical information. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 189-194.

- Rochester, N., Bequaert, F. (1977). One-Handed Keyboard and its Control Means. *United States Patent 4,042,777*.
- Rochester, N., Bequaert, F. & Sharp, E. (1978). The chord keyboard, *IEEE Computer*, 11 (12), 57-63.
- Roe, C., Moto, W. & Blake, T. (1984). Feedback and key discrimination on membrane keypads. *Proceedings of the Human Factors Society 28th Annual Meeting*, 277-281.
- Rohr, G. (1986). Using Visual Concepts. In S. Chang, T. Ichikawa, & P. Ligomenides (Eds.). *Visual Languages*, New York: Plenum Press, XX-XX.
- Roland, P. E. (1978). Sensory feedback to the cerebral cortex during voluntary movement in man. *Behavioral and Brain Sciences*, 1, 129-171.
- Rosenberg, I., Grau, A., Hendee, C., Awad, N. & Perlin, K. (2009). IMPAD – An Inexpensive Multi-Touch Pressure Acquisition Device. To Appear.
- Rosenbloom, P.S. (1985). *The Chunking of Goal Hierarchies: a Model of Practice and Stimulus-Response Compatibility*, Doctoral Dissertation, Dept. of Computer Science, Carnegie Mellon University.
- Rosenthal, D.S., Michener, J.C., Pfaff, G., Kessener, R., & Sabin, M. (1982). Detailed semantics of graphical input devices, *Computer Graphics*, 16(3), 33-43.
- Rovner, P.D. & Henderson, D.A. jr. (1969). On the implementation of AMBIT/G: a graphical programming language. *Proceedings of the International Joint Conference on Artificial Intelligence*, 9-20.
- Rubine, D.H. (1991a). *The automatic recognition of gestures*. PhD Thesis, Dept. of Computer Science, Carnegie Mellon University.
- Rubine, D. H. (1991b). Specifying gestures by example. *Computer Graphics* 25(4), Proceedings of SIGGRAPH '91, 329 - 337.
- Rubine, D.H. & McAvinney, P. (1990). Programmable Finger-Tracking Instrument Controllers. *Computer Music Journal*, 14(1), 26-41
- Rumelhart, D. E. & Norman, D. A. (1981). Analogical Processes in Learning, in J.R. Anderson (Ed.), *Cognitive Skills and their Acquisition*, Hillsdale, N.J.: Lawrence Erlbaum Associates, 335 - 360.
- Rumelhart, D. & Norman, D. (1982). Simulating a skilled typist: a study of skilled cognitive-motor performance. *Cognitive Science*, 6, 1-36.
- Rutledge, J. & Selker, T. (1990). Force-to-motion functions for pointing. In D. Diaper et al. (Eds), *Human-Computer Interaction - INTERACT '90*, Elsevier Science Publishers B.V. (North-Holland), 701-706.
- Sachs, E., Roberts, A. & Stoop, D. (1990). 3-Draw: a tool for designing 3D shapes, *IEEE Computer Graphics and Applications*, Nov. 1991, 18-26.
- Sachs, E., Stoop, D. & Roberts, A. (1989). 3-Draw: a three dimensional computer aided design tool, *Proceedings of the 1989 IEEE International Conference on Systems, Man and Cybernetics*, 1194-1196.
- Saffer, Dan (2009). *Designing Gestural Interfaces*. Sebastapool, CA: O'Reilly.
- Sage, G. H. (1977). *Introduction to Motor Behavior, A Neuropsychological Approach* (Second Edition ed.). Reading, MA: Addison-Wesley.
- Sainburg, R. L., Poizner, H., & Ghez, C. (1993). Loss of proprioception produces deficits in interjoint coordination. *Journal of Neurophysiology*, 70(5), 2136-2147.
- Salisbury, M.W., Hendrickson, J.H., Lammers, T.L., Fu, C. & Moody, S.A. (1990). Talk and Draw: Bundling Speech and Graphics. *IEEE Computer*, 23(8), 59-65.

- Sampson, G. (1985). *Writing Systems: A Linguistic Introduction*. Stanford: Stanford University Press.
- Schmandt, C. (1983). Spatial input/display correspondence in a stereoscopic computer graphic work station, *Computer Graphics* 17(3), 253-261.
- Schmandt, C. (1985). Voice communication with computers, in H. R. Hartson (Ed.), *Advances in Human-Computer Interaction*, Norwood, N.J.: Ablex Publishers, 133 - 159.
- Schmandt, C. & Aarons, B. (1984a). A Conventional Telephone Messaging System, *International Conference on Consumer Electronics Digest of Technical Papers*, Rosemont IL.
- Schmandt & Aarons (1984b). Phone Slave: A Graphical Telecommunications Interface, *Society for Information Display 1984 International Symposium Digest of Technical Papers*, San Francisco, CA.
- Schmandt, C., Ackerman, M.S. & Hindus, D. (1990). Augmenting a Window System with Speech Input. *IEEE Computer*, 23(8), 50-56
- Schmidt, R. A. (1975). A schema theory of discrete motor skill learning. *Psychological Review*, 82(4), 225-260.
- Schmidt, R. A. (1988). *Motor control and learning - A Behavioural Emphasis* (2nd ed.). Human Kinetics Publishers, Inc.
- Schmult, B. & Jebens, R. (1993). Application Areas for a Force-Feedback Joystick, *Proceedings of the ASME Winter Annual Meeting: Advances in Robotics, Mechatronics and Haptic Interfaces*, 47-54.
- Schmult, B. & Jebens, R. (1993). A High Performance Force Feedback Joystick, *Proceedings of Virtual Reality Systems '93*, 123-129.
- Schneider, W. (1985). Training High-Performance Skills: Fallacies and Guidelines. *Human Factors*, 8 27(3), 285 - 300.
- Schulze, L.J.H. & Snyder, H.L. (1983). *A comparative evaluation of five touch entry devices*. Technical Report HFL-83-6, Department of Industrial Engineering and Operations Research, Blacksburg, VA, 24061.
- Schriever, W. (1925). Experimentelle Studien über das stereoskopische Sehen. *Zeitschrift für Psychologie*, 96, 113-170.
- Sears, A. (XX). Improving touchscreen keyboards: design issues and a comparison with other devices. *Interacting with Computers* XX(XX), XX-XX.
- Sears, A., Revis, D., Swatski, J., Crittenden, R. & Shneiderman, B. (1991). *Investigating touchscreen typing: the effect of keyboard size on typing speed*, Technical Report CAR-TR-553, Human/Computer Interaction Laboratory, Center for Automation Research, University of Maryland, College Park, Maryland, 20742.
- Sears, A. & Shneiderman, B. (1991). High precision touchscreens: design strategies and comparisons with a mouse, *International Journal of Man-Machine Studies*, 34, 593-613.
- Seibel, R. (1962). *A Feasibility Demonstration of the Rapid-Type Data Entry Station*. Research Report No. RC 845,. Yorktown Heights, N.Y.: IBM Thomas J. Watson Research Center.
- Seibel, R. (1972). Data Entry Devices and Procedures, in Van Cott, H. & Kinkade, R. (Eds.), *Human Engineering Guide to Equipment Design*, Revised Edition, Washington: U.S. Govt. Printing Office, 311-344.
- Selker, T. & Rutledge, J. (1991). Finger force precision for computer pointing. *IBM RC 17342*.
- Sellen, A., Kurtenbach, G. & Buxton, W. (1990). The role of visual and kinesthetic feedback in the prevention of mode errors. In D. Diaper et al. (Eds), *Human-Computer Interaction - INTERACT '90*, Elsevier Science Publishers B.V. (North-Holland), 667-673.

- Sellen, A., Kurtenbach, G. & Buxton, W. (1992). The prevention of mode errors through sensory feedback. *Human Computer Interaction*, 7(2), 141-164.
- Seow, S.M. (2005). Information Theoretic Models of HCI: A Comparison of the Hick-Hyman Law and Fitts' Law. *Human Computer Interaction*, 20(3), 315-352.
- Shannon, C. & Weaver, W. (1949). *The mathematical theory of communication*. Urbana: University of Illinois Press.
- Shaw, C. & Green, M. (1997). THRED: a two-handed design system. *Multimedia Systems Journal*, 5(2), 126-139.
- Shaw, C. & Green, M. (1994). Two-handed polygonal surface design, *Proceedings of the Fourth Annual ACM Symposium on User Interface Technology (UIST'94)*, 205-212.
- Shen, V., Ray-Grant, T., Mullenbach, J., Harison, C. & Shultz, C. (2023). *Proceedings of the 36th Annual ACM Symposium on User Interface Technology (UIST'23)*, 1-20.
<https://doi.org/10.1145/3586183.3606771>. Video: [Fluid Reality: High-Resolution, Untethered Haptic Gloves Using Electroosmotic Pump Arrays - YouTube](#)
- Shepard, R. N., & Metzler, J. (1971). Mental rotation of three-dimensional objects. *Science*, 171(3972), 701-703.
- Sheridan, T.B. (1980). Mental Workload - What is it? Why Bother with it? *Human-Factors Society Bulletin*, 23, 1-2.
- Sheridan, T. (1980). Human Error in Nuclear Power Plants, *Technology Review*, 82(4), 22 - 33.
- Sheridan, T. B. (1988). Human and computer roles in supervisory control and telerobotics: musings about function, language and hierarchy. In *Tasks, Errors and Mental Models - A Festschrift to Celebrate the 60th Birthday of Professor Jens Rasmussen*. Taylor & Francis.
- Sheridan, T. B. (1992a). Musings on telepresence and virtual presence. *Presence - Teleoperators and Virtual Environments*, 1(X), XX-XX.
- Sheridan, T. B. (1992b). *Telerobotics, Automation, and Human Supervisory Control*. Cambridge, Massachusetts: The MIT Press.
- Sheridan, T. B., & Ferrell, W. R. (1974). *Man-machine systems: information, control and decision-models of human performance*. Cambridge, Massachusetts: The MIT Press.
- Sherr, S. (Ed.)(1988). *Input Devices*. Boston: Academic Press.
- Shimoga, K. B. (1993a). A survey of perceptual feedback issues in dexterous telemanipulation: Part I. Finger force feedback. *Proceedings of VRAIS'93: the first IEEE Virtual Reality Annual International Symposium*, 263-270.
- Shimoga, K. B. (1993b). A survey of perceptual feedback issues in dexterous telemanipulation: Part II. Finger touch feedback. *Proceedings of VRAIS'93: the first IEEE Virtual Reality Annual International Symposium*, 271-279.
- Shirai, Y. (1982). Image processing for data capture. *IEEE Computer*, November issue, 21-34.
- Shneiderman, B. (1983). Direct Manipulation: a step beyond programming languages, *IEEE Computer*, 16(8), 57-69.
- Shneiderman, B. (1991). Touch screens now offer compelling uses. *IEEE Software*, 8(2), 93-107.
- Shneiderman, B. (1983). Direct Manipulation: A Step Beyond Programming Languages. *IEEE Computer*, 16(8), 57 - 69.
- Shoemake, K. (1992). ARCBALL: a user interface for specifying three-dimensional orientation using a mouse. *Proceedings of Graphics Interface '92*, 151-156.
- Siegel, I. (1998). *All About Bone: An Owner's Manual*. New York: Demos Medical Publishing.
- Singer, R. N. (1980). *Motor learning and human performance* (3rd ed). Macmillan.

- Smets, G. J. F. (1992). Designing for telepresence: the interdependence of movement and visual perception implemented. *Proceedings of 5th IFAC/IFIP/IFORS/IEA symposium on analysis, design, and evaluation of man-machine systems*, XX-XX.
- Smith, D.C., Irby, C., Kimball, R., Verplank, B. Harslem, E. (1982). Designing the Star User Interface. *Byte*, 7(4), 242-282.
- Smith, J., White, T., Dodge, C., Paradiso, J., Gershenfeld, N. & Allport, D. (1998). Electric field sensing for graphical interfaces, *IEEE Computer Graphics and Applications*, 18(3), May/June 1988, 54-60.
- Smith, J.D., Vertigall, R. & Sohn, C. (2005). ViewPointer: Lightweight Calibration-Free Eye Tracking for Ubiquitous Handsfree Deixis. *Proceedings of the ACM SIGGRAPH Symposium on User Interface Software and Technology (UIST'05)*, 53-61.
- Smith, S.L. (1981). Exploring Compatibility with Words and Pictures, *Human Factors*, 23(3), 305 - 315.
- Smyth, M. & Wing, A. (Eds.)(1984). *The Psychology of Human Movement*, London: Academic Press.
- Sollenberger, R. L. (1993) *Combining depth information: theory and implications for design of 3D displays*. Ph.D. Thesis, University of Toronto, Department of Psychology.
- Sollenberger, R. L., & Milgram, P. (1993). Effects of stereoscopic and rotational displays in a three-dimensional path-tracing task. *Human Factors*, 35(3), 483-499.
- Sondheimer, N.K. (1976). Spatial Reference and Natural Language Machine Control. *International Journal of Man-Machine Studies*, 8(3), 329-336.
- Soukoreff, R. W., & MacKenzie, I. S. (1995). Theoretical upper and lower bounds on typing speed using a stylus and soft keyboard. *Behaviour & Information Technology*, 14, 370-379.
- Sparrow, W. & Sparrow, H. (1991). Trends in motor behavior research: A study based on citation analysis, *Journal of Human Movement Studies*, 21, 183-199.
- Spriegel, W.R. & Myers, C.E. (Eds.)(1953). *The Writings of the Gilbreths*. Homewood, Ill.: Richard Irwin.
- Stein, R. B. (1982). What muscle variable(s) does the nervous system control in limb movements? *Behavioral and Brain Sciences*, 5, 535-577.
- Stelmach, G. E. (1979). Motor Control. In K.Connolly (Ed), *Psychology Survey No.2*. London: George Allen & Uniwin. 253-271
- Stoakley, R., Conway, M. & Pausch, R. (1995). Virtual worlds on a WIM: Interactive worlds in miniature, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'95)*, 265-272.
- Stone, M.C., Fishkin, K., & Bier, E. (1994). The Movable Filter as a User Interface Tool. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 306-312.
- Strommen, E., Razavi, S. & Medoff, L. (1992). This button makes you go up: three-year-olds and the Nintendo controller, *Applied Ergonomics*, 23(6), 409-413.
- Stults, B. (1986). *Media Space*, Systems Concepts Lab Technical Report, Xerox Palo Alto Research Center.
- Stumpe, B. (1977). A New Principle for an X-Y Touch Screen. *CERN Technical Report SPS/AOP/BS/jf*, 16 March, 1977. [StumpeMar77.pdf \(cern.ch\)](http://cern.ch/StumpeMar77.pdf).
- Sturman, D.J. & Zeltzer, D. (1994). A survey of glove-based input. *IEEE Computer Graphics and Applications*, 14(1), 30-39.

- Sturman, D.J., Zeltzer, D. & Pieper, S. (1989). Hands-on interaction with virtual environments. *Proceedings of the ACM SIGGRAPH Symposium on User Interface Software and Technology (UIST'89)*, 19-24.
- Suen, C. (Ed.) (1990). *Frontiers in handwriting recognition: Proceedings of the International Workshop on Frontiers in Handwriting Recognition*, Montreal: Centre for Pattern Recognition and Machine Intelligence, Concordia University, Montreal, Quebec, Canada H3G 1M8.
- Suen, C., Berthold, M. & Mori, S. (1980). Automatic Recognition of Hand-Printed Characters - The State of the Art, *Proceedings of IEEE*, 68(4), 469 - 487.
- Sutherland, I. (1963). SKETCHPAD: A Man-Machine Graphical Communication System, *Spring Joint Computer Conference*, 329-346.
- Tachi, S., & Yasuda, K. (1993). Evaluation experiments of tele-existence manipulation system. *Proceedings of International Conference on Artificial Reality and Tele-existence (ICAT '93)*, 17-26.
- Takahashi, T. & Kishino, F. (1991). Hand gesture coding based on experiments using hand gesture interface device. *SIGCHI Bulletin*, 23(2), 67 - 74.
- Tan, H. Z., Pang, X. D., & Durlach, N. I. (1992). Manual resolution of length, force, and compliance. In H. Kazerooni (Ed), DSC-Vol. 42, *Advances in Robotics The American Society of Mechanical Engineers*. XX-XX.
- Tang, J.C. & Minneman, S.L. (1991a). Videowhiteboard: video shadows to support remote collaboration. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 315-322.
- Tang, J.C. & Minneman, S.L. (1991b). VideoDraw: A video interface for collaborative drawing. *ACM Transactions on Information Systems*, 9(3), 170-184.
- Tanner, P. (1987). Multi-thread input, *Computer Graphics*, 21(2), 142-145.
- Tappert, C.C. (1982). Cursive Text Recognition by Elastic Matching, *IBM Journal of Research and Development*, 26(6), 765 - 771.
- Tappert, C.C. (1984). Adaptive On-Line Handwriting Recognition, *IEEE 7th International Conference on Pattern Recognition*, 1004 - 1007.
- Tappert, C.C., Suen, C.Y. & Wakahara, T. (1988). On-line handwriting recognition - a survey, *Proceedings of the IEEE 9th International Conference on Pattern Recognition*, Vol II, 1123-1132.
- Taylor, F.W. (1947). *Scientific Management*. New York: Harper Brothers.
- Teitelman, W. (1964). Real Time Recognition of Hand-Drawn Characters, *Fall Joint Computer Conference*, 559.
- Tesler, L. (1981). The Smalltalk Environment. *Byte* 6(1): 90 - 147.
- Thomas, C. & Milan, S. (1987). Which input device should be used with interactive video?. In H.-J. Bullinger & B. Shackel (Eds.). *Human-Computer Interaction, Proceedings of Interact '87*, Amsterdam: North-Holland, 587-592.
- Thorell, L.G. (1987). AI-based input devices lead the way to digital notebooks, *Research Newsletter*, December 1987. San Jose, California: Dataquest, Inc.
- Thornton, R. (1979). The number wheel: a tablet based valuator for interactive three-dimensional positioning, *Computer Graphics*, 13(2), 102-107.
- Todor, J. & Doane, T. (1978). Handedness and hemispheric asymmetry in the control of movements, *Journal of Motor Behavior*, 10(4), 295-300.
- Tohidi, M., Buxton, W., Baecker, R. & Sellen, A. (2006). [Getting the Right Design and the Design Right: Testing Many Is Better Than One](#). *Proceedings of the 2006 ACM Conference on Human Factors in Computing Systems, CHI'06*, 1243-1252.

- Treisman, A. & Davies, A. (1973). Divided Attention to Ear and Eye. In S. Kornblum (Ed). *Attention and Performance IV*. Hillsdale, NJ: Erlbaum , 101-117.
- Treisman, M., 1963. Temporal discrimination and the indifference interval: implications for a model of the "internal clock". *Psychological Monograph*, 77, whole 576.
- Trumble, A. (2010). *The Finger: A Handbook*. New York: Farrar, Straus and Giroux.
- Väänänen, K.. & Böhm, K. (1993). Gesture Driven Interaction as a Human Factor in Virtual Environments - An Approach with Neural Networks. In R. Earnshaw, M. Gigante & H. Jones (Eds.). *Virtual Reality Systems*. New York: Academic Press, XX-XX.
- Valk, M. (1985). An experiment to study touchscreen button design, *Proceedings of the Human Factors Society 29th Annual Meeting*, 127-131.
- Van Cott, H. and Kinkade, R. (Eds.)(1972). *Human Engineering Guide to Equipment Design*. 008-051-00050-0. Washington, D.C.: US Government Printing Office.
- van Emmerik, M. (1990). A direct manipulation technique for specifying 3D object transformations with a 2D input device. *Computer Graphics Forum*, 9, 355-361.
- Vardalas, J. (1994). From DATAR to the FP-6000 Computer: Technological Change in a Canadian Industrial Context, *IEEE Annals of the History of Computing*, 16(2), 20-30.
- Velloso, E., Schmidt, D., Alexander, J. Gellersen, H. & Bulling, A. (2015). The Feet in Human-Computer Interaction: A Survey of Foot-Based Interaction. *ACM Computing Surveys*, 48(2), 1-35.
- Venolia, D. (1989). *Toy box: a 3D block world*. Videotape. Apple Computer User Interface Group, Cupertino, California.
- Venolia, D. (1993). Facile 3D direct manipulation. *Proceedings of the ACM Conference on Human Factors in Computing Systems (InterCHI'93)*, 31-36.
- Venolia, D. & Neiberg, F. (1994). T-Cube: a fast, self-disclosing pen-based alphabet. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 265-270.
- Verplank, B. & Oliver, K. (1989). Microsoft mouse: testing for redesign, *Proceedings of INTERFACE '89, The Sixth Symposium on Human Factors and Industrial Design in Consumer Products*, 257-261.
- Vickers, D.L. (1974). Sorcerer's Apprentice: Head-Mounted Display and Wand. *University of Utah Computer Science Division Technical Report UTEC-CSc-74-078*.
- Vo, M. & Waibel, A. (1997). Modeling and Interpreting Multimodal Inputs: A Semantic Integration Approach. *Technical Report CMU-CS-97-192*, School of Computer Science, Carnegie Mellon University.
- Wachs, Y.P., Kölsch, M., Stern, H. & Edan, Y. (2011). Vision-based hand-gesture applications. *Communications of the Association of Computing Machinery (CACM)*, 54(2), 60-71.
- Wallace, V.L. (1976). The Semantics of Graphical Input Devices, *Proceedings of the SIGGRAPH/SIGPLAN Symposium on Graphical Languages*, 61-65.
- Ward, J.R. (Ed.)(1987). Issues Limiting the Acceptance of User Interfaces Using Gesture Input and Handwriting Character Recognition, panel summary, *Proceedings of CHI + GI '87*, 155 - 158.
- Ward, J.R. & Blesser, B. (1985). Interactive Recognition of Handprinted Characters for Computer Input, *IEEE Computer Graphics and Applications*, 5(9), 24 - 37.
- Ward, J.R. & Philips, M.J. (1987). Digitizer technology: performance characteristics and the effect on the user interface. *IEEE Computer Graphics and Applications*, April Issue, 7(4), 31-44.

- Ware, C. (1990). Using hand position for virtual object placement. *The Visual Computer*. Springer Verlag, Vol 6. 245-253.
- Ware, C., Arthur, K. & Booth, K. (1993). Fish tank virtual reality, *Proceedings of InterCHI '93*, 37-42.
- Ware, C. & Balakrishnan R. (1994). Target acquisition in fish tank VR: The effects of lag and frame rate. *Proceedings of GI'94*, XX-XX.
- Ware, C. & Baxter, C. (1989). Bat brushes: on the use of six position and orientation parameters in a paint program. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'89)*, 155-160.
- Ware, C. & Jessome, D. (1988). Using the bat: a six-dimensional mouse for object placement. *IEEE Computer Graphics and Applications* 8(6), 65-70.
- Ware, C. & Osborne, S. (1990). Exploration and virtual camera control in virtual three dimensional environments. *Computer Graphics* 24(2), 175-183.
- Ware, C. & Slipp, L. (1991) Using velocity control to navigate 3D graphical environments: A comparison of three interfaces, *Proceedings of the Human Factors Society Annual Meeting*, 300-304
- Waters, K. & Wang, S. (1990). A 3D interactive physically-based micro world. In E. Farrell (Ed.). *Proceedings of the SPIE - Extracting meaning from complex data: processing, display, interaction*, Vol. 1259, 91-98.
- Weber, G.. (1990). FINGER - a language for gesture recognition. In D. Diaper et al. (Eds), *Human-Computer Interaction - INTERACT '90*, Elsevier Science Publishers B.V. (North-Holland), 689-694.
- Weber, K. & Poon, A. (1994). Marquee: A tool for real-time video logging. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 58-64.
- Weimer, D. & Ganapathy, S.K. (1989). A synthetic visual environment with hand gesturing and voice input. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'89)*, 235-240.
- Wein, M. (1990). Twenty-four years of computer graphics at NRC. *Proceedings of Graphics Interface '90*, 131-137.
- Weiser, M. (1991). The Computer for the 21st Century. *Scientific American*, 265(3), 94-95, 98-102,104.
- Weiss (1954). The role of proprioceptive feedback in positioning response. *Journal of Experimental Psychology*, 47(3), 215-224.
- Weiss, M., Wagner, J., Jansen, Jennings, R., Khoshabeh, R., Hollan, J. & Borchers, J. (2009). SLAP Widgets: Bridging the Gap Between Virtual and Physical Controls on Tabletops. *Proceeding of the twenty-seventh annual SIGCHI conference on Human factors in computing systems, CHI '09*, 3229-3234.
- Welbourn, L.K. & Whitrow, R.J. (1988). A gesture based text editor, in D. Jones & R. Winder (Eds.). *People and Computers IV, Proceedings of the Fourth Conference of the British Computer Society Human-Computer Interaction Specialist Group*. Cambridge: Cambridge University Press, 363 - 371.
- Welford, A. (1968). *The fundamentals of skill*. London: Methuen.
- Welford, A. (1976). *Skilled Performance: Perceptual and Motor Skills*, Glenview, IL: Scott, Foresman & Co.
- Welford, A. T. (1978). Mental Workload as a Function of Demand, Capacity, Strategy and Skill, *Ergonomics*, 21, 151 - 167.

- Wellner, P. (1991). The DigitalDesk Calculator: Tactile manipulation on a desktop display. *Proceedings of the Fourth ACM SIGGRAPH Symposium on User Interface Technology (UIST'91)*, 27-33.
- Westerlink, J. & van den Reek, K. (1994). *Pointing in entertainment-oriented environments: appreciation versus performance*, Institute for Perception Research (IPO) Annual Progress Report 28, 160-165.
- Wexelbalt, A. (1995). An Approach to Natural Gesture in Virtual Environments. *ACM Transactions on Computer-Human Interaction (TOCHI)*, 2(3), 179-200.
- Whitefield, A. (1986). Human factors aspects of pointing as an input technique in interactive computer systems, *Applied Ergonomics*, 17(2), 97-104.
- Whittaker, S., Hyland, P. & Wiley, M. (1994). Filochat: handwritten notes provide access to recorded conversation. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 271-27.
- Wiklund, M., Dumas, J. & Hoffman, L. (1987). Optimizing a portable terminal keyboard for combined one-handed and two-handed use, *Proceedings of the Human Factors Society - 31st Annual Meeting*, 585-589.
- Wickens, C.D. (1980). The Structure of Attentional Resources. In R. Nickerson & R. Pew (Eds.). *Attention and Performance VIII*. Hillsdale, NJ: Erlbaum, XX-XX.
- Wickens, C. D. (1992). *Engineering Psychology and Human Performance*. HarperCollins Publishers.
- Wickens, C.D., Sandry, D. & Vidulich, M. (1983). Compatibility and Resource Competition between Modalities of Input, Central Processing, and Output, *Human Factors*, 25(2), 227 - 248.
- Wickens, C. D., Todd, S., & Seidler, K. (1989). *Three-dimensional displays: Perception, implementation and applications*. CSERIAC Technical Report No. 89-001. Wright Patterson Air Force Base, Ohio.
- Wickins, C.D., Vidulich, M. & Sandry-Garza, D. (1984). Principles of S-C-R Compatibility with Spatial and Verbal Tasks: The Role of Display-Control Location and Voice-Interactive Display Control Interfacing, *Human Factors*, 26(5), 533 - 543.
- Wilson, F.W. (1998). *The Hand: How its use Shapes the Brain, Language, and Human Culture*. New York: Pantheon Books.
- Wise, S. & XX (1990). Evaluation of a Fiber Optic Glove for Semi-automated Goniometric Measurements. *J. Rehabilitation Research and Development*, 27(4), 411-424.
- Wiseman, N.E., Lemke, H.U. & Hiles, J.O. (1969) PIXIE: A New Approach to Graphical Man-machine Communication, *Proceedings of 1969 CAD Conference Southampton, IEEE Conference Publication 51*, 463 – 471.
- Wobbrock, J.O., Myers, B.A. & Kembel, J.A. (2003) EdgeWrite: A stylus-based text entry method designed for high accuracy and stability of motion. *Proceedings of the 16th Annual ACM Symposium on User Interface Technology (UIST'03)*, 61-70.
- Wolf, C.G. (1992). A comparative study of gestural, keyboard and mouse interfaces. *Behaviour & Information Technology*, 11(1), 13-23.
- Wolf, C.G. (1986). Can People Use Gesture Commands? *ACM SIGCHI Bulletin*, 18(2), 73 - 74.
- Wolf, C.G. (1988). A comparative study of gestural and keyboard interfaces. *Proceedings of the 32nd Annual Meeting of the Human Factors Society*, 273-277.
- Wolf, C.G. & Morrel-Samuels, P. (1987). The use of hand-drawn gestures for text-editing, *International Journal of Man-Machine Studies*, 27, 91 - 102.

- Wolf, C., Rhyne, J. & Ellozy, H. (1989). The Paper-Like Interface. In G. Salvendy & M.J. Smith (Eds.) *Designing and Using Human-Computer Interfaces and Knowledge-Based Systems*, Amsterdam: Elsevier Science Publishers B.V., 494-501.
- Wolf, C., Rhyne, J., Zorman, L. & Ossher, H. (1991). WE-MET (window environment-meeting enhancement tools), *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'91)*, 441-442.
- Wolf, W., Ozer, B., & Lv, T. (2002). Smart Cameras as Embedded Systems. *IEEE Computer*, September 2002, 35(9), 48-53.
- Woodworth, R.S. (1899). The accuracy of voluntary movement. *Psychological Review*, 3, (Whole Suppl. 2).
- Wu, M. & Balakrishnan, R. (2003). Multi-finger and whole and gestural interaction techniques for multi-user tabletop displays. *Proceedings of the 16th Annual ACM Symposium on User Interface Software and Technology (UIST'03)*, 193 – 202.
- Yeh, Y. (1993). Visual and perceptual issues in stereoscopic display. In D. F. McAllister (Eds.), *Stereo computer graphics*. Princeton, New Jersey: Princeton University Press. 50-70
- Yerkes, R.M. & Dodson, J.D. (1908). The Relative Strength of Stimulus to Rapidity of Habit-Formation, *Journal of Comparative and Neurological Psychology*, 1 8, 459-482.
- Yoon, D, Chen, N., Guimbretière, F. & Sellen, A. (2014). RichReview: blending ink, speech, and gesture to support collaborative document review. *Proceedings of the 27th annual ACM symposium on User interface software and technology (UIST '14)*, 481 – 490.
- Yoshida, K. & Sakoe, H. (1982). Online handwritten character recognition for a personal computer system, *IEEE Transactions on Consumer Electronics*, 28(3), 202-209.
- Young, G. (1989). *The Sackbutt Blues: Hugh Le Caine – Pioneer in Electronic Music*. Ottawa: National Museum of Science and Technology.
- Young, R.M. (1981). The Machine Inside the Machine: Users' Models of Pocket Calculators, *International Journal of Man-Machine Studies*, 15, 51 - 85.
- Young, R.M. (1983). Surrogates and Mappings: Two Kinds of Conceptual Models for Interactive Devices, in D. Gentner, & A.L. Stevens (Eds), *Mental Models*, Hillsdale, N.J.: Lawrence Erlbaum Associates.
- Zelevnik, R. (1998). Sketching in 3D. *Computer Graphics*, 32(4), XX-XX.
- Zelevnik, R., Forsberg, A. & Strauss, P. (1997). Two pointer input for 3D interaction. *Proceedings of the 1997 Symposium in Interactive 3D Graphics*, 115-120.
- Zelevnik, R., Herndon, K. & Hughes, J. (1996). Sketch: an interface for sketching 3d scenes. *Computer Graphics (Proceedings of SIGGRAPH '96 Proceedings)*, X(xx), 163-170.
- Zhai, S. (1993). Investigation of feel for 6DOF inputs: isometric and elastic rate control for manipulation in 3D environments. *Proceedings of The Human Factors and Ergonomics Society 37th Annual Meeting*, 323-327.
- Zhai, S. (1995). *Human Performance in Six Degree of Freedom Input Control*. Ph.D. Thesis, Dept. of Industrial Engineering, University of Toronto.
- Zhai, S. (1998). User performance in relation to 3D input device design, *Computer Graphics*, 32(4), 50-54.
- Zhai, S., Buxton, W. & Milgram, P. (1994). The "Silk Cursor": Investigating transparency for 3D target acquisition. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'94)*, 459-464.
- Zhai, S., Buxton, W. & Milgram, P. (1996). The partial-occlusion effect: Utilizing semitransparency in 3D human-computer interaction. *ACM Transactions on Computer-Human Interaction*, 3(3), 254-284.

- Zhai, S., Hunter, M., Smith, B.A., [The Metropolis Keyboard -- An Exploration of Quantitative Techniques for Virtual Keyboard Design](#), in the *Proceeding of the 13th Annual ACM Symposium on User Interface Software and Technology (UIST 2000)*, 119-128.
- Zhai, S., Kandogan, E., Smith, B.A. & Selker, T. (1999). In Search of the 'Magic Carpet': Design and Experimentation of a Bimanual 3D Navigation Interface. *Journal of Visual Languages and Computing*, 10, 3-17.
- Zhai, S., Kristensson, P.O. (2003). [Shorthand Writing on Stylus Keyboard](#), in Proceedings of [CHI 2003](#), *ACM Conference on Human Factors in Computing Systems*, 97-104.
- Zhai, S. Kristensson, P.O. (2008). [Interlaced QWERTY: accommodating ease of visual search and input flexibility in shape writing](#). *Proc of CHI 2008: ACM Conference on Human Factors in Computing Systems*, 593-596.
- Zhai, S., Kristensson, P.O., Gong, P., Greiner, M., Peng, S., Liu, L. Dunnigan, A. (2009). [Shapewriter on the iPhone: from the laboratory to the real world](#). *ACM CHI 2009 Conference on Human Factors in Computing Systems Extended Abstracts*, 2667-2670.
- Zhai, S., & Milgram, P. (1991). A telerobotic virtual control system. *Proceedings of SPIE Vol. 1612 Co-operative Intelligent Robotics in Space II*, 311-320.
- Zhai, S., & Milgram, P. (1993a). Human performance evaluation of manipulation schemes in virtual environments. In *Proceedings of VRAIS'93: the first IEEE Virtual Reality Annual International Symposium*, 155-161.
- Zhai, S., & Milgram, P. (1993b). Human performance evaluation of isometric and elastic rate controllers in a 6 DOF tracking task. *Proceedings of SPIE Vol.2057 Telemanipulator Technology*, XX-XX.
- Zhai, S., Smith., B.A.(2000). Multi-Stream Input: An Experimental Study of Document Scrolling Methods, *IBM Systems Journal*, 38(4), 642-651.
- Zhai, S., Smith., B.A.& Selker, T. (1997a). Dual Stream Input for Pointing and Scrolling. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'97)*, 305 – 306.
- Zhai, S., Smith., B.A.& Selker, T. (1997b). Improving browsing performance: A study of four input devices for scrolling and pointing tasks, *Proceedings of INTERACT97: The Sixth IFIP Conference on Human-Computer Interaction*, Sydney Australia, 286-292..
- Zhang, Hong, So, Eric. & Guan, Yi-sheng (1999). Sensing contact with analog resistive technology. *Proceedings of the IEEE International Conference on Systems, Man, and Cybernetics, IEEE SMC '99*, vol. 2, 806-811.
- Zhang, Hong & So, Eric. (2002). Hybrid Resistive Tactile Sensing. *IEEE Transactions on Systems, Man, and Cybernetics - Part B: Cybernetics*. 32(1), 57 – 65.
- Zieger, J.E., Hoppe, H.U. & Fahrnich, I. (1986). Learning and Transfer for Text and Graphics Editing with a Direct Manipulation Interface, *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI'86)*, 72 - 77.
- Zimmerman, T.G., Lanier, J., Blanchard, C., Bryson, S. & Harvill, Y. (1987). A Hand Gesture Interface Device, *Proceedings of CHI+GI '87*, 189-192.
- Zipp, P., Haider, E., Halpern, N., & Rohmert, W. (1983). Keyboard design through physiological strain measurements, *Applied Ergonomics*, 14(2), 117-122.